

LIST AND BIBLIOGRAPHY OF THE RECENT BENTHONIC FORAMINIFERA OF JAPAN, 1925-1981 (II)

Ritsuo NOMURA*

(Continued from the previous number)

- Neoconorbina crustata* (Cushman). Uchio, 1968. [**Discorbis*].
- Neoconorbina opercularis* (d'Orbigny). Uchio, 1968; Ikeya, 1977. [**Rosalina*, *Discorbis*, *Glabratella*, *Pileolina*].
- Neoconorbina opercularis nakamurai* (Asano). Uchio, 1968. [**Discorbis*, *Glabratella*, *Pileolina*].
- Neoconorbina opercularis subopercularis* (Asano). Uchio, 1968. [**Discorbis*, *Glabratella*, *Pileolina*].
- Neoconorbina patelliformis* (Brady). Uchio, 1968. [**Discorbina*, *Discorbis*, *Glabratella*, *Pileolina*].
- Neoconorbina stachi* (Asano). Aoki, 1967; Chiji and Lopez, 1968; Ujié and Kusukawa, 1969; Matoba, 1970, p. 57, pl. 4, figs. 6a-c; 1975; 1976c; Ikeya, 1977; Aoshima, 1978. [**Discopulvinulina*, *Rosalina*].
- Neoconorbina subopercularis* (Asano). Ikeya, 1971b. [**Discorbis*, *Glabratella*, *Pileolina*].
- Neoconorbina terquemi* (Rzehak). Uchio, 1962a; Chiji and Lopez, 1968, p. 108, pl. 11, figs. la, b; Aoki, 1967. [**Discorbina*].
- Neoconorbina terquemi stachi* (Asano). Uchio, 1968. [**Discopulvinulina*, *Rosalina*].
- Neoeponides antillarum* (d'Orbigny). Uchio, 1968. [*Rotalina* (*Rotalina*)].
- Neouvigerina porrecta* (Brady). Uchio, 1962a. [**Uvigerina*, *Siphouvgirina*].
- Nodobaculariella insignis* (Brady). Oinomikado and Stach, 1948, [**Vertebralina*].
- Nodogenerina lepidula* Cushman. Morishima and Chiji, 1952.
- Nodophthalmidium simplex* Cushman and Todd. Asano, 1956b, p. 81, pl. 9, figs. 21, 22.
- Nodosaria albatrossi* Cushman. Uchio, 1968.
- Nodosaria antillea* Cushman. Yabe and Hanzawa, 1925.
- Nodosaria catenulata* Brady. Ikari, 1927, p. 4, pl. 1, fig. 15; Asano, 1937b; 1965a, p. 22, pl. 4, figs. 43, 44.
- Nodosaria communis* (d'Orbigny). Yabe and Hanzawa, 1925; Hanzawa, 1928. [**Dentalina*].
- Nodosaria farcimen* (Soldani). Yabe and Hanzawa, 1925. (= *Nodosaria farcimen* Silvestri). [**Orthoceras*].
- Nodosaria (Dentalina) flintii* Cushman. Hanzawa, 1928.
- Nodosaria (Dentalina) filiformis* d'Orbigny. Hanzawa, 1928. [*Dentalina*].
- Nodosaria hirsuta* d'Orbigny. Asano, 1937b. [*Amphicoryna*, *Lagenonodosaria*].
- Nodosaria hispida* d'Orbigny. Yabe and Hanzawa, 1925.
- Nodosaria japonica* Cushman. Asano, 1956a, p. 22-23, pl. 4, fig. 51.

*Department of Earth Science, Faculty of Education, Shimane University, Matsue, Japan

- Nodosaria laevigata* d'Orbigny. Ikari, 1927, p. 4, pl. 1, fig. 16. [*Nodosaria (Glandulina), Glandulina*].
- Nodosaria (Glandulina) laevigata* d'Orbigny. Yabe and Hanzawa, 1925; Hanzawa, 1928. [*Nodosaria*].
- Nodosaria pauciloculata* Cushman. Hanzawa, 1928; Uchio, 1968. [*Amphicoryna, Alfredosilvestris, Lagenonodosaria*].
- Nodosaria pyrula* d'Orbigny. Hanzawa, 1928; Hada, 1931, p. 98-99; Asano, 1937b; 1956a, p. 20-21, pl. 4, figs. 40, 42; Aoshima, 1978.
- Nodosaria pyrula longi-costata* Cushman. Asano, 1939.
- Nodosaria pyrula* d'Orbigny var. *semirugosa* d'Orbigny. Hada, 1931, p. 99, text-figs. 52a, b.
- Nodosaria radicula* (Linné). Hanzawa, 1928. [**Nautilus*].
- Nodosaria raphana* (Linné). Asano, 1937b; Sawai, 1958. [**Nautilus*].
- Nodosaria cf. raphana* (Linné). Asano, 1956a, p. 23, pl. 6, figs. 21-30.
- Nodosaria roemerii* Negeboren. Hanzawa, 1934.
- Nodosaria scalaris* (Batsch). Yabe and Hanzawa, 1925; Ikari, 1927, p. 4, fig. 17; Hanzawa, 1928; Hada, 1931, p. 100, text-fig. 53. [**Nautilus, Alfredosilvestris, Amphicoryna*].
- Nodosaria scalaris* var. *separans* Brady. Ikari, 1927, p. 4, pl. 1, fig. 18.
- Nodosaria semirugosa* d'Orbigny. Asano, 1956a, p. 21, pl. 4, fig. 41.
- Nodosaria simplex* Silvestri. Hada, 1931, p. 98, text-fig. 51; Ikeya, 1971b.
- Nodosaria soluta* (Reuss). Yabe and Hanzawa, 1925; Hanzawa, 1928. [**Dentalina*].
- Nodosaria spirostriolata* Cushman. Yabe and Hanzawa, 1925.
- Nodosaria subraphana* Asano. Asano, 1956a, p. 23-24, pl. 4, fig. 45; Shuto, 1965.
- Nodosaria vertebralis* (Batsch). Yabe and Hanzawa, 1925; Asano, 1937b; 1939; 1956a, p. 22, pl. 4, figs. 46-48; Morishima, 1955; Aoshima, 1978. [**Nautilus*].
- Nonion asterizans* (Fichtel and Moll). Morishima, 1947. [**Nautilus*].
- Nonion boueanum* (d'Orbigny). Hada, 1927; 1931, p. 117-118, text-figs. 76a, b; 1936; 1937; Asano, 1937a, b; Morishima, 1947; 1955; Ishiwada, 1958; Sawai, 1958; Chiji and Lopez, 1968; Ujiié and Kusukawa, 1969. [**Nonionina*].
- Nonion depressulum* (Walker and Jacob). Hada, 1936; Kuwano, 1953. [**Nautilus*].
- Nonion grateloupi* (d'Orbigny). Kuwano, 1953; Sawai, 1958; Asano, 1960, p. 190, pl. 21, figs. 7a, b; Ishiwada, 1964, pl. 3, fig. 32; Shuto, 1965; Ikeya, 1971b; Matoba, 1976b; Aoshima, 1978. [**Nonionina, Florilus, Pseudononion, Nonionella*].
- Nonion grateloupi* (d'Orbigny) forma A. Kuwano, 1962, pl. 19, fig. 10.
- Nonion grateloupi* (d'Orbigny) forma B. Kuwano, 1962, pl. 20, fig. 1.
- Nonion japonicum* Asano. Asano, 1938, p. 1258; 1939; 1960, p. 190-191, pl. 21, figs. 1a, b; Morishima and Chiji, 1952, pl. 1, figs. 6a, b; Takayanagi, 1953a, b; Shuto, 1953; 1965; Kuwano, 1953; Nakaseko, 1953; Iwasa, 1954; Higuchi, 1954; Yoshida 1954; Nagahama, 1954; Sawai, 1955; 1958; Morishima, 1955; Chiji and Lopez, 1968, p. 108, pl. 15, fig. 6; Ujiié and Kusukawa, 1969; Matoba and Nakagawa, 1972; Matoba, 1975; 1976a, b, c; Kato, 1979. (*Florilus*).
- Nonion labradoricum* (Dawson). Kuwano, 1953; Ishiwada, 1954; 1964, p. 36-37, pl. 3, fig. 33; Uchio, 1959; Asano, 1960, p. 191-192, pl. 21, figs. 8a, b; Ikeya, 1970; 1971b; Matoba and Nakagawa, 1972; Matoba, 1975; 1956a, b, c; Aoshima, 1979. [**Nonionina, Nonionellina*].
- Nonion manpukuijense* Otuka. Oinomikado and Stach, 1948; Maruhasi, 1948; Ishiwada, 1950; 1964, pl. 3, fig. 34; Takayanagi, 1953b; Morishima, 1955; Asano, 1960, p. 192-

- 193, pl. 21, fig. 3 : Uchio, 1962b ; 1968 : Kuwano, 1963 : Ujiié and Kusukawa, 1969.
- Nonion manpukuiense japonicum* Asano. Kuwano, 1962, pl. 20, fig. 4.
- Nonion nicobarensse* Cushman. Yoshida, 1953b : Higuchi, 1954 : Nagahama, 1954 : Asano, 1960, p. 193, pl. 21, fig. 4 : Harrington, 1960 : Ishiwada, 1964, pl. 3, fig. 35. (*Melonis*).
- Nonion cf. nicobarensse* Cushman. Morishima and Chiji, 1952, pl. 1, figs. 8a, b.
- Nonion orbicularis* (Brady). Sawai, 1958. (**Nonionina*, *Elphidium*).
- Nonion pacificum* (Cushman). Nakaseko, 1953 : Takayanagi, 1953b Morishima, 1955 : Sawai, 1958 : Ishiwada, 1964, pl. 3, fig. 36 : Chiji and Lopez, 1968 : Ikeya, 1971b. (= *Nonionina umbilicatula* (Montagu) var. *pacifica* Cushman).
- Nonion pomphiloides* (Fichtel and Moll). Yabe and Hanzawa, 1925 : Nagahama, 1954 : Harrington, 1960. (**Nautilus*).
- Nonion scaphum* (Fichtel and Moll). Hada, 1929 ; 1931, p. 118-119, text-figs. 77a, b ; 1939 ; 1957b : Hanzawa, 1934 : Asano, 1937a ; 1938 ; 1939 : Fukuta, 1951 : Takayanagi, 1953b : Nagahama, 1954 : Sawai, 1958 : Ujiié and kusukawa, 1969 : Ikeya, 1971b : Matoba, 1975 ; 1976b, c. (**Nautilus*, *Nonionina*).
- Nonion cf. scaphum* (Fichtel and Moll). Asano, 1937a ; 1960, p. 193, pl. 21, figs. 6a, b : Kuwano, 1953.
- Nonion subturgidus* (Cushman). Uchio, 1968. (**Nonionina*).
- Nonion turgida* (Williamson). Hada, 1931, p. 119-120, text-figs. 78a, b : Oinomikado and Stach, 1948. (**Rotalina*, *Nonionina*, *Nonionella*).
- Nonion umbilicatum* (Walker and Jacob). Yabe and Hanzawa, 1925 : Hada, 1936 : Sawai, 1958. (**Nautilus*).
- Nonion zaandamae* (van Voorthuysen). Ikeya, 1970. (= *Anomalinoides barleeanum* var. *zaandamae* van Voorthuysen).
- Nonion zaandamae bosoensis* Kuwano, 1962 (n. subsp.), pl. 19, fig. 9 ; 1963. (*nom. nud.*).
- Nonionella auricula* Heron-Allen and Earland. Ikeya, 1970.
- Nonionella globosa* Ishiwada, 1950 (n. sp.), p. 191, figs. 3a-c ; 1964, p. 37 pl. 3, fig. 40 : Ikeya, 1971b : Matoba and Nakagawa, 1972 : Matoba, 1976a, b : Aoshima, 1978 : Inoue, 1980, pl. 28, figs. 3a, b.
- Nonionella japonica* Asano. Nagahama, 1951 : Morishima, 1955. (*Pseudononion*).
- Nonionella (Pseudononion) japonica* Asano. Harrington, 1960.
- Nonionella miocenica* Cushman. Chiji and Lopez, 1968, p. 108, pl. 15, fig. 7.
- Nonionella miocenica stella* Cushman and Moyer. Higuchi, 1954 : Morishima, 1955.
- Nonionella parri* Cushman. Harrington, 1960.
- Nonionella pulchella* Hada, 1931 (n. sp.), p. 120-121, text-figs. 79a-c ; 1936 : Asano, 1937a ; 1938, p. 1258 ; 1960, p. 194-195, pl. 21, figs. 5a, b : Morishima, 1947 ; 1948a : Morishima and Chiji, 1952 : Kuwano, 1953 : Takayanagi, 1953a ; 1955, p. 42, pl. 1, figs. 23a-c : Ishiwada, 1954 : Chiji and Lopez, 1968, p. 108, pl. 15, fig. 8 : Ujiié and Kusukawa, 1969 : Matoba, 1975 ; 1976c.
- Nonionella stella* Cushman and Moyer. Uchio, 1959 ; 1962a, b : Ishiwada, 1954, p. 37-38, pl. 3, figs. 41a, b (= *Nonionella miocenica stella* Cushman and Moyer ; *Nonionella pulchella* Hada) : Matoba, 1970, p. 57, pl. 8, figs. 8a-c ; 1975 ; 1976a, b, c : Ikeya, 1970 ; 1971b ; 1977 : Matoba and Nakagawa, 1972 : Inoue, 1980, pl. 28, figs. 1a-c.
- Nonionella subextensa* Kuwano, 1962 (n. sp.), pl. 20, figs. 2, 3. (*nom. nud.*).
- Nonionella tredeca* (Asano). Morishima, 1955. (**Pseudononion*).
- Nonionella turgida* (Williamson). Aoshima, 1978. (**Rotalina*),

- Nonionella?* sp. Kuwano, 1962, pl. 20, fig. 5.
- Nonionella grateloupi* (d'Orbigny). Inoue, 1980, pl. 28, figs. 2a, b. [**Nonionina, Florilus, Pseudononion*].
- Nonionellina labradorica* (Dawson). Chiji and Lopez, 1968, p. 109, pl. 15, fig. 12; Chiji and Konda, 1970; Inoue, 1980, pl. 28, figs. 4a, b. [**Nonionina, Nonion*].
- Nonionina auris* d'Orbigny. Hada, 1929.
- Nonionina boueana* d'Orbigny Ikari, 1927, p. 6-7, pl. 2, figs. 15, 16; Hada, 1929. [*Nonion*].
- Nonionina depressula* (Walker and Jacob). Hanzawa, 1928. [**Nautilus, Nonion*].
- Nonionina pomphiloides* (Fichtel and Moll). Hanzawa, 1928. [**Nautilus, Nonion*].
- Nonionina scapha* (Fichtel and Moll). Hanzawa, 1928; Hada, 1929. [**Nautilus, Nonion*].
- Nonionina umbilicatula* (Walker and Jacob). Hanzawa, 1928. [**Nautilus, Nonion*].
- Nourina polymorphinoides* Heron-Allen and Earland. Hada, 1931, p. 93, text-figs. 45a, b; 1957b; Morishima, 1955; Uchio, 1968; Chiji and Lopez, 1968; Ujiié and Kusukawa, 1969.
- Nourina tenuis* Hada, 1931 (n. sp.), p. 94-95, text-figs. 47a, b; 1957b; Morishima, 1955; Matoba, 1976c.
- Nourina textulariformis* Hada, 1931 (n. sp.), p. 93-94, text-figs. 46a, b; 1957b; Uchio, 1962b; Matoba, 1976c.
- Nummoloculina contraria* (d'Orbigny). Asano, 1956b, p. 82; Chiji and Lopez, 1968. [**Biloculina*].
- Oinomikadoina ogiensis* Matsunaga. Takayanagi, 1955, pl. 2, figs. 20a, b. [*Caribbeanella*].
- Oolina acuticosta* (Reuss). Uchio, 1962a. [**Lagena*].
- Oolina bifurcata* (LeRoy). Uchio, 1962a. [**Lagena*].
- Oolina caudigera* (Wiesner). Ikeya, 1970; 1971b. [**Lagena (Oolina)*].
- Oolina costata* (Williamson). Matoba, 1970, p. 57, pl. 3, fig. 18; 1976a. [**Entosolenia, Lagena*].
- Oolina feildeniana* (Brady). Asano, 1956a, p. 42, pl. 5, fig. 34. [**Lagena*].
- Oolina globosa* (Montagu). Ikeya, 1970; Inoue, 1980, pl. 27, fig. 9. [**Vermiculum, Entosolenia, Lagena*].
- Oolina cf. globosa* (Montagu). Asano, 1951, p. 41, pl. 5, fig. 1.
- Oolina haxagona* (Williamson). Asano, 1956a, p. 43; Ujiié and Kusukawa, 1969; Inoue, 1980, pl. 27, fig. 9. [**Entosolenia, Lagena*].
- Oolina lineata* (Williamson). Ikeya, 1970; 1971b. [**Entosolenia*].
- Oolina longispina* (Brady). Asano, 1956a, p. 41-42, pl. 5, fig. 2. [**Lagena*].
- Oolina melo* d'Orbigny. Asano, 1956a, p. 43-44, pl. 5, figs. 44-50; Uchio, 1962a; Ujiié and Kusukawa, 1969; Matoba, 1970, p. 57, pl. 3, fig. 19; Chiji and Konda, 1970; Ikeya, 1970; 1971b; Aoshima, 1978; Kato, 1979; Inoue, 1980. [*Lagena*].
- Oolina striatopunctata* (Parker and Jones). Asano, 1956a, p. 42, pl. 5, figs. 35, 36; Ikeya, 1971b. (= *Lagena sulcata* var. *striatopunctata* Parker and Jones).
- Oolina* sp. Matoba, 1970, p. 57, pl. 3, figs. 20a, b.
- Operculina ammonoides* Gronovis. Ikari, 1927, p. 7, pl. 2, figs. 17a, b; Hanzawa, 1928; 1948; Uchio, 1968; Chiji and Lopez, 1968, p. 109, pl. 13, fig. 10.
- Operculina bartschi* Cushman var. *plana* Cushman. Hanzawa, 1928.
- Operculina cumingii* (Carter). Hanzawa, 1948. [**Amphistegina*].
- Operculina* sp. aff. *javana* Verbeek and Fennema. Uchio, 1952, p. 152-153, pl. 6, fig. 6.
- Operculina venosa* (Fichtel and Moll). Hanzawa, 1928; Asano, 1937b, p. 40. [**Nautilus*].

- Ophthalmidium inconstans* (Brady). Asano, 1956b, p. 82. [=Hauerina].
- Oridorsalis umbonatus* (Reuss). Uchio, 1968; Matoba, 1976a; Aoshima, 1978. [=Rotalia, Buccella, Eponides].
- Palmura robusta* (Brady). Uchio, 1952, p. 152, pl. 6, fig. 2. [=Frondicularia].
- Parafissulina hematiostoma* Loeblich and Tappan. Ikeya, 1971b.
- Parafissulina impariliformis* McCulloch. Inoue, 1980, pl. 26, fig. 3.
- Parafissulina lateralis* (Cushman). Ikeya, 1977. [=Lagena, Entosolenia].
- Parafissulina semilucida* McCulloch. Inoue, 1980, pl. 27, fig. 10.
- Pararotalia globosa* (Millett). Matoba, 1975; 1976a, c. (=Discorbina imperatoria (d'Orbigny) var. *globosa* Millett).
- Pararotalia?* *globosa* (Millett). Matoba, 1970, p. 57-58, pl. 6, figs. 8a-c (=Rotalia erinacea Heron-Allen and Earland).
- Pararotalia* cf. *imperatoria* var. *globosa* (Millett). Chiji and Lopez, 1968, p. 199, pl. 12, figs. 5a-c.
- Pararotalia minutula* (Takayanagi). Matoba, 1970, p. 58, pl. 6, figs. 5a-c, 6a-c, 7a-c; 1975; 1976c: Aoshima, 1978: Inoue, 1980. (=Rotalia? *minuta* Takayanagi).
- Pararotalia murrayi* (Heron-Allen and Earland). Chiji and Lopez, 1968, p. 109, pl. 12, figs. 6a, b. [=Rotalia].
- Pararotalia nipponica* (Asano). Aoki, 1967: Uchio, 1968: Matoba, 1970, p. 57, pl. 6, figs. 3a-c, 4a-c (=Rotalia ozawai Asano); 1975; 1976c: Ikeya, 1977: Aoshima, 1978: Kato, 1979. [=Rotalia, Ammonia].
- Pararotalia ozawai* (Asano). Chiji and Lopez, 1968: Aoshima, 1978. [=Rotalia, Ammonia].
- Pararotalia?* *takayanagii* Matoba, 1970 (n. sp.), p. 63-64, pl. 6, figs. 9a-c, 10a-c: Ikeya, 1977.
- Parella culter* Parker and Jones. Shuto, 1953. [=Truncatulina].
- Parrina bradyi* (Millett). Oinomikado and Stach, 1948. [=Nubecularia].
- Patellina corrugata* Williamson. Hada, 1929: Hanzawa, 1948: Uchio, 1952; 1962a: Morishima, 1955: Shuto, 1965: Aoki, 1967: Chiji and Lopez, 1968, p. 109, pl. 12, figs. 1a, b: Ujiié and Kusukawa, 1969: Matoba, 1970 p. 58, pl. 5, figs. 1a-c: Ikeya, 1971b.
- Patellina hanzawai* Asano. Asano, 1937b: Takayanagi, 1955: Aoki, 1967: Ikeya, 1971b: Matoba, 1976a, c.
- Patellinella hanzawai* (Asano). Uchio, 1968.
- Patellinella inconspicua* (Brady). Ishiwada, 1950: Chiji and Lopez, 1968. [=Textularia].
- Pateoris hauerinoides* (Rhumbler). Ikeya. 1971b. (=Quinqueloculina subrotunda (Montagu) forma *hauerinoides* Rhumbler).
- Pavonina flabelliformis* d'Orbigny. Uchio, 1952, p. 153-154, pl. 6, fig. 6; 1962a; 1968.
- Pelosina variabilis* Brady. Chiji and Konda, 1970.
- Pelosina cylindrica* Brady. Hanzawa, 1928.
- Peneroplis pertusus* (Forskal). Uchio, 1952; 1962a: Shuto, 1953: Kuwano, 1956, p. 277-278: Chiji and Lopez, 1968. [=Nautilus].
- Pileolina nakamurai* (Asano). Aoki, 1967. [=Discorbis, Glabratella].
- Pileolina opercularis* (d'Orbigny). Aoki, 1967. [=Rosalina, Discorbis, Glabratella, Neoconorbina].
- Pileolona patelliformis* (Brady). Aoki, 1967. [=Discorbina, Glabratella].
- Pileolina subopercularis* (Asano). Aoki, 1967. [=Discorbis, Glabratella, Neoconorbina].
- Placopsilina cenomana* d'Orbigny. Hada, 1957b.

- Planispirina sphaera* (d'Orbigny). Morishima, 1948b; 1950. [**Biloculina*].
- Planispirinella exiqua* (Brady). Hanzawa, 1928; Chiji and Lopez, 1968. [**Planispirina*].
- Planodiscorbis circularis* (Sidebottom). Uchio, 1968. [**Discorbina*].
- Planodiscorbis rarescens* (Brady). Ishiwada, 1964, p. 41, pl. 5, figs. 85a-86b (= *Planulina convexa* Takayanagi): Aoki, 1967. [**Discorbina*].
- Planorbulina acervalis* Brady. Hanzawa, 1928; Uchio, 1962a; 1968: Aoki, 1967.
- Planorbulina mediterranensis* d'Orbigny. Asano, 1937a: Fukuta, 1951: Takayanagi, 1953b: Uchio, 1952; 1962a.
- Planorbulina cf. mediterranensis* d'Orbigny. Chiji and Lopez, 1968, p. 109, pl. 14, figs. 8a, b.
- Planorbulinella larvata* (Parker and Jones). Hanzawa, 1928; 1948: Uchio, 1952: Kuwano, 1956, p. 280, pl. 30, figs. 12, 13. (= *Planorbulina vulgaris* d'Orbigny var. *larvata* Parker and Jones).
- Planularia* sp. aff. *lata* (Cushman). Asano, 1956a, p. 13, pl. 4, figs. 5-7. [**Cristellaria*].
- Planularia patens* (Brady). Asano, 1956a, p. 12, pl. 4, figs. 3, 4. [**Vaginulina*].
- Planularia planulata* (Galloway and Wiesler). Nagahama, 1954. [**Astacolus*].
- Planularia tricarinella* (Reuss). Asano, 1956a, p. 12-13, pl. 4, figs. 1, 2: Aoshima, 1978. [**Cristellaria*].
- Planulina ariminensis* d'Orbigny. Nagahama, 1954.
- Planulina convexa* Takayanagi. Takayanagi, 1953b: Aoshima, 1978.
- Planulina convexa* Takayanagi forma A. Kuwano, 1962, pl. 20, fig. 6.
- Planulina convexa* Takayanagi forma B. Kuwano, 1962, pl. 20, fig. 7.
- Planulina convexa* Takayanagi forma C. Kuwano, 1962, pl. 20, fig. 8.
- Planulina nipponica* Asano. Tai, 1971.
- Planulina (Hanzawaia) nipponica* Asano. Kuwano, 1953.
- Planulina subdepressa* Asano. Shuto, 1953; 1965: Chiji and Lopez, 1968: Ikeya, 1971b.
- Planulina wuellerstorfi* (Schwager). Asano, 1937a, b; 1938; 1939: Ishiwada, 1950; 1958; 1964, pl. 8, figs. 112a, b: Fukuta, 1951: Morishima and Chiji, 1952: Shuto, 1953; 1965: Nakaseko, 1953: Nagahama, 1954: Morishima, 1955: Harrington, 1960: Uchio, 1968: Chiji and Konda, 1970: Matoba, 1976c: Aoshima, 1978. [**Anomalina*, *Cibicides*, *Truncatulina*].
- Planulina* sp. 1. Kuwano, 1962, pl. 20, fig. 9.
- Planulina* sp. 2. Kuwano, 1962, pl. 21, fig. 1.
- Planulinoides biconcavus* (Parker and Jones). Aoki, 1967. [**Discorbina*].
- Pleurostomella alternans* Schwager. Yabe and Hanzawa, 1925.
- Polymorphina angusta* (Egger). Hanzawa, 1928. [**Polymorphina (Globulina)*].
- Polymorphina charlottensis* Cushman. Ishiwada, 1950.
- Polymorphina communis* d'Orbigny. Hada, 1929. [**Polymorphina (Guttuline)*].
- Polymorphina denticulata* (Brady). Asano, 1937a.
- Polymorphina elegantissima* Parker and Jones. Yabe and Hanzawa, 1925.
- Polymorphina gibba* d'Orbigny (?). Ikari, 1927, p. 5, pl. 2, fig. 6. [*Globulina*, *Guttulina*].
- Polymorphina lactea* (Walker and Jacob) var. *diffusa* Jones and Chapman. Hada, 1929.
- Polymorphina lactea* (Walker and Jacob) var. *novangliae* Cushman. Hada, 1929.
- Polymorphina problema* (d'Orbigny). Yabe and Hanzawa, 1925. [**Polymorphina (Guttuline)*].
- Polymorphina sordanii* (d'Orbigny). Hada, 1929. [**Polymorphina (Guttuline)*, *Pseudopoly-*

- morphina).*
- Polystomella crispa* (Linné). Yabe and Hanzawa, 1925: Ikari, 1927, p. 7, pl. 2, figs. 16a, b: Hanzawa, 1928: Hada, 1929. (**Nutilus, Elphidium*).
- Polystomella decipiens* Costa. Hada, 1929. (*Elphidium*).
- Polystomella discorbinooides* Yabe and Hanzawa. Shuto, 1953.
- Polystomella faba* Fichtel and Moll. Hada, 1929. (*Elphidium*).
- Polystomella macella* Fichtel and Moll. Hanzawa, 1928: Hada, 1929. (*Elphidium*).
- Polystomella sibirica* Goës. Hada, 1929. (*Elphidium, Elphidiella*).
- Polystomella striato-punctata* Fichtel and Moll. Hada, 1929. (*Elphidium*).
- Polystomella (Elphidium) subnodososa* (Münster). Hanzawa, 1928. (**Robulina*).
- Polystomella* sp. Inoue, 1980, pl. 27, figs. 16a, b.
- Poroeponides cribroconcameratus* Asano and Uchio. Takayanagi, 1953b: Tai, 1971.
- Poroeponides cribrorepandus* Asano and Uchio. Uchio, 1952, p. 157-158; 1962a; 1968: Shuto, 1953; 1965: Nakaseko, 1953: Takayanagi, 1953b: Sawai, 1955: Chiji and Konda, 1968: Matoba, 1970, p. 58, pl. 8, figs. 1a-c; 1975; 1976c: Tai, 1971: Ikeya, 1971b: Aoshima, 1978: Kato, 1979.
- Poroeponides lateralis* (Terquem). Shuto, 1953; 1965: Takayanagi, 1953b: Matoba, 1970, p. 58, pl. 8, figs. 2a-c; 1976c: Tai, 1971: Kato, 1979. (**Rosalina, Eponides*).
- Praesorites orbitolitoides* Hofker. Hanzawa, 1948.
- Proteonina crassa* Hada, 1929 (n. sp.), p. 54, text-fig. 5; 1957b: Asano, 1938: Ishiwada, 1950.
- Proteonina diffugiformis* (Brady). Hada, 1929; 1931, p. 52-53, text-fig. 4; 1939; 1957b: Asano, 1937b; 1939: Ishiwada, 1950: Kuwano, 1953: Morishima, 1955: Ikeya, 1970. (**Reophax, Lagenammina*).
- Proteonina diffugiformis* (Brady) var. *globosa* Hada, 1937 (n. var.).
- Proteonina diffugiformis* (Brady) var. *limnetica* Hada, 1937 (n. var.), p. 346, fig. 5.
- Proteonina cf. eocenica* Cushman. Ishiwada, 1958, pl. 1, figs. 5, 6.
- Proteonina fusiformis* Williamson. Hanzawa, 1928: Sawai, 1955; 1958: Hada, 1957b.
- Proteonina lagenaria* (Berthelin). Takayanagi, 1955, pl. 1, fig. 1: Ishiwada, 1958, pl. 1, fig. 4. (**Haplophragmium, Lagenammina*).
- Proteonina limnetica* Hada, 1957b. (= *Proteonina diffugiformis* (Brady) var. *limnetica* Hada).
- Proteonina pyriformis* (Egger). Hada, 1957b.
- Proteonina findens* (Parker). Chiji and Konda, 1970. (**Lituola*).
- Psammosphaera fusca* Schultze. Hada, 1931, p. 51, text-fig. 2; 1957b: Ujiié and Kusukawa, 1969: Chiji and Konda, 1970: Ikeya, 1970.
- Psammosphaera fusca* var. *testacea* Flint. Hanzawa, 1928.
- Psammosphaera parva* Flint. Hada, 1931, p. 52, text-fig. 3; 1957b.
- Psammosphaera testacea* Flint. Hada, 1957. (= *Psammosphaera fusca* var. *testacea* Flint).
- Pseudobulimina simaensis* (Makiyama and Nakagawa). Asano, 1958, p. 13, pl. 3, figs. 14, 15a, b: Takayanagi, 1955. (**Geminospira*).
- Pseudocibicidoides katasensis* Ujiié, 1956a (n. sp.), p. 263-265, pl. 13, figs. 1a-c, 2a-c, 3: Aoki, 1964, p. 195-199, pl. 29, figs. 1-15: Ujiié and Kusukawa, 1969: Aoki, 1967. (*Caribbeanella*).
- Pseudoclavulina juncea* Cushman. Ishiwada, 1964, p. 35, pl. 1, fig. 11: Ikeya, 1967.
- Pseudoclavulina scabra* Cushman. Uchio, 1968.

- Pseudoeponides nakazatoensis* (Kuwano). Shuto, 1953: Ikeya, 1970. [**Epistomaria* (*Epistomariella*)].
- Pseudoglandulina japonica* Asano, 1956a (n. sp.), p. 44-45, text-figs. 4, 5.
- Pseudoglandulina laevigata* (d'Orbigny). Aoshima, 1978: Inoue, 1980. [**Nodosaria* (*Glandulina*)].
- Pseudoglandulina rotundata* (Reuss). Hanzawa, 1934. [**Glandulina*].
- Pseudomassilina macilenta* (Brady). Uchio, 1968. [**Miliolina*].
- Pseudonodosaria torrida* (Cushman). Aoshima, 1978. (= *Nodosaria* (*Glandulina*) *laevigata* var. *torrida* Cushman).
- Pseudononion grateloupi* (d'Orbigny). Uchio, 1962a: Aoki, 1967: Matoba, 1975; 1976a, c. [**Nonionina*, *Florilus*, *Nonion*, *Nonionella*].
- Pseudononion japonicum* Asano. Asano, 1937a, b; 1938; 1960, p. 193-194, pl. 21, figs. 2a-c: Oinomikado and Stach, 1948: Morishima and Chiji, 1952, pl. 2, figs. 2a-c: Kuwano, 1953; 1962, pl. 21, fig. 2; 1963: Shuto, 1953: Takayanagi, 1953a, b; 1955, p. 42, pl. 1, figs. 22a, b: Nakaseko, 1953: Higuchi, 1954: Yoshida, 1954: Nagahama, 1954: Ujié, 1956a: Matsuda, 1957: Sawai, 1958: Ishiwada, 1958, pl. 1, figs. 15, 16; 1964, p. 37, pl. 3, figs. 39a, b: Uchio, 1959; 1962b; 1968: Aoki, 1967: Ujié and Kusukawa, 1969: Matoba, 1970, p. 58, pl. 8, figs. 9a-c; 1975; 1976b, c: Ikeya, 1970; 1971b: kato, 1979. [*Nonionella*].
- Pseudononion shimodaense* Aoki, 1967 (n. sp.), p. 381, pl. 1, figs. 5-6.
- Pseudononion tredecum* Asano. Asano, 1937a: Shuto, 1953: Ujié and Kusukawa, 1969: Matoba and Nakagawa, 1972: Matoba, 1975; 1976a, c. [*Nonionella*].
- Pseudoparella naraensis* Kuwano. Matoba, 1976b. [*Epistominella*].
- Pseudoparella nipponica* (Kuwano). Hasegawa, 1979. [**Epistominella*, *Eilohedra*].
- Pseudoparella takayanagii* (Iwasa). Hasegawa, 1979. [**Epistominella*].
- Pseudoparella tamana* Kuwano. Matoba, 1976b. [*Epistominella*].
- Pseudopolymorphina atlantica* Cushman and Ozawa. Kuwano, 1955.
- Pseudopolymorphina doani* (Galloway and Wissler). Aoshima, 1978. [**Polymorphina*].
- Pseudopolymorphina hanzawai* Cushman and Ozawa. Chiji and Konda, 1970: Matoba, 1975; 1976c.
- Pseudopolymorphina indica* (Cushman). Uchio, 1952: Shuto, 1953: Takayanagi, 1953b. (= *Polymorphina problema* d'Orbigny var. *indica* Cushman).
- Pseudopolymorphina indica japonica* Cushman and Ozawa. Asano, 1939.
- Pseudopolymorphina ishikawaensis* Cushman and Ozawa. Oinomikado and Stach, 1948: Kuwano, 1955.
- Pseudopolymorphina okuwaensis* Cushman and Ozawa. Oinomikado and Stach, 1948: Kuwano, 1955: Uchio, 1962b: Matoba, 1975; 1976c.
- Pseudopolymorphina shibatai* Aoki, 1967 (n. sp.), p. 380, pl. 1, figs. 1-4.
- Pseudopolymorphina soldanii* (d'Orbigny). Hada, 1929; 1931, p. 113-114, text-figs. 71a, b. [**Polymorphina*].
- Pseudopolymorphina suboblonga* Cushman and Ozawa. Matoba, 1975; 1976c.
- Pseudopolymorphina* sp. Inoue, 1980, pl. 27, fig. 21.
- Pseudorotalia gaimardii* (d'Orbigny). Uchio, 1962b; 1968: Chiji and Lopez, 1968, p. 109, pl. 12, figs. 7a-c: Ujié and Kusukawa, 1969: Matoba, 1975; 1976a, c: Aoshima, 1978. [**Rotalia* (*Turbinulina*), *Streblus*].
- Pullenia apertula* Cushman. Iwasa, 1954: Kuwano, 1955: Matoba, 1975; 1976c: Aoshima,

- 1978 : Inoue, 1980, pl. 27, figs. 22a, b.
- Pullenia bulloides* (d'Orbigny). Iwasa, 1950 : Aoshima, 1978. (**Nonionina*).
- Pullenia obliquiloculata* Parker and Jones. Yabe and Hanzawa, 1925.
- Pullenia quinqueloba* (Reuss). Yabe and Hanzawa, 1925 : Ishiwada, 1955 : Morishima, 1955 : Aoki, 1967. (**Nonionina*).
- Pullenia salisburyi* Stewart and Stewart var. Kuwano, 1962, pl. 21, fig. 3 ; 1963.
- Pullenia sphaeroides* (d'Orbigny). Yabe and Hanzawa, 1925 : Hanzawa, 1928 : Ishiwada, 1950. (**Nonionina*).
- Pullenia subcarinata* (d'Orbigny). Aoshima, 1978. (**Nonionina*).
- Pulvinulina canariensis* d'Orbigny. Hanzawa, 1928. (**Rotalina*).
- Pulvinulina elegans* d'Orbigny. Hanzawa, 1928. (**Rotalia (Turbinulina)*).
- Pulvinulina exigua* Brady. Hada, 1929. (*Epistominella*, *Eponides*).
- Pulvinulina favus* Brady. Hanzawa, 1928.
- Pulvinulina oblonga* Williamson. Ikari, 1927, p. 5, pl. 2, figs. 12a-c : Hada, 1929. (*Cancris*).
- Pulvinulina partschiana* d'Orbigny. Hanzawa, 1928.
- Pulvinulina patagonica* d'Orbigny. Hanzawa, 1928.
- Pulvinulina pauperata* Parker and Jones. Hanzawa, 1928. (= *Pulvinulina repanda* (Fichtel and Moll) var. *menardii* (d'Orbigny) subvar. *pauperata* Parker and Jones).
- Pulvinulina punctata* (d'Orbigny). Hanzawa, 1928. (**Rotalia*).
- Pulvinulina repanda* (Fichtel and Moll). Hanzawa, 1928. (**Nautilus*).
- Pyrgo bradyi* (Schlumberger). Asano, 1939 : Hanzawa, 1948. (**Biloculina*).
- Pyrgo denticuata* (Brady). Asano, 1939 : Uchio, 1952 : Morishima, 1955 : Aoki, 1967 : Chiji and Lopez, 1968, p. 109, pl. 8, fig. 2. (= *Biloculina ringens* (Lamarck) var. *denticulata* Brady).
- Pyrgo denticulata* var. *striolata* (Brady). Uchio, 1952. (**Biloculina*).
- Pyrgo depressa* (d'Orbigny). Asano, 1937a, b ; 1939 ; 1956b, p. 76-77, pl. 9, figs. 4, 6 (?) : Shuto, 1953 : Nagahama, 1954 : Harrington, 1960 : Aoshima, 1978. (**Biloculina*).
- Pyrgo elongata* (d'Orbigny). Ikeya, 1977. (**Biloculina*).
- Pyrgo ezo* Asano. Shuto, 1953 ; 1965 : Higuchi, 1954 : Takayanagi, 1955, pl. 1, fig. 15 : Asano, 1956b, p. 77-78, pl. 9, figs. 9, 11, 16 (?) : Matoba, 1970, p. 58-59, pl. 2, figs. 20a, b : Tai, 1971 : Ikeya, 1971b : Kato, 1979.
- Pyrgo fornasinii* Chapman and Parr. Asano, 1956b, p. 79, pl. 9, figs. 1, 2 : Chiji and Konda, 1970.
- Pyrgo hachijiensis* Uchio, 1952 (n. sp.), p. 151, pl. 6, figs. 1a, b.
- Pyrgo lucernula* (Schwager). Hanzawa, 1948. (**Biloculina*).
- Pyrgo milletti* (Cushman). Uchio, 1968. (**Biloculina*).
- Pyrgo murrhyna* (Schwager). Ishiwada, 1950 : Asano, 1956b, p. 78, pl. 9, figs. 5, 12 (?) : Chiji and Konda, 1970 : Aoshima, 1978. (**Biloculina*).
- Pyrgo cf. murrhyna* (Schwager). Inoue, 1980, pl. 27, fig. 27.
- Pyrgo natukawa* Matsui and Nakagawa. Morishima, 1955.
- Pyrgo pacifica* Asano, 1956b (n. sp.), p. 78-79, pl. 9, fig. 3.
- Pyrgo siogamaensis* Asano, 1937a (n. sp.), p. 114, pl. 15, figs. 3a, b ; 1938 ; 1956b, p. 78, pl. 9, figs. 7, 8.
- Pyrgo vespertilio* (Schlumberger). Ikeya, 1971b : Inoue, 1980. (**Biloculina*).
- Pyrgo williamsoni* Silvestri. Ujiié and Kusukawa, 1969.
- Pyrgo yabei* Asano. Asano, 1937a ; 1939 ; 1956b, p. 77, pl. 9, fig. 10 : Oinomikado and

- Stach, 1948 : Takayanagi, 1955 : Ikeya, 1971b.
- Pyrgo* sp. Asano, 1956b, p. 79, pl. 9, fig. 23.
- Pyrgoella sphaera* (d'Orbigny). Uchio, 1968 : Matoba, 1976c. [**Biloculina*].
- Pyrulina cylindroides* (Roemer). Uchio, 1962a. [**Polymorphina (Polymorphenen)*].
- Pyrulina hamadaensis* Asano. Matoba, 1975 ; 1976c.
- Quinqueloculina arctica* Cushman. Ujiié and Kusukawa, 1969 : Ikeya, 1971.
- Quinqueloculina agglutinans* d'Orbigny. Hanzawa, 1928 : Hada, 1929 ; 1939 : Morishima, 1948b ; 1950 ; 1955 : Shuto, 1953 ; 1965 : Uchio, 1962a : Aoki, 1967 : Chiji and Lopez, 1968, p. 109, pl. 8, figs. 3a, b.
- Quinqueloculina agglutinata* Cushman. Shuto, 1953 ; 1965 : Chiji and Lopez, 1968 : Ikeya, 1977 : Kato, 1979.
- Quinqueloculina akneriana* d'Orbigny. Takayanagi, 1953b ; 1955 : Shuto, 1953 : Iwasa, 1954 : Tai, 1971 : Kato, 1979.
- Quinqueloculina bicarinata* d'Orbigny. Chiji and Lopez, 1968, p. 109, pl. 8, figs. 4a-c.
- Quinqueloculina bicornis* (Walker and Jacob). Takayanagi, 1953b : Chiji and Lopez, 1968, p. 109, pl. 8, figs. 5a, b. [**Serpula*].
- Quinqueloculina bicostata* d'Orbigny. Shuto, 1953 ; 1965 : Ikeya, 1971b : Kato, 1979.
- Quinqueloculina bosciana* d'Orbigny. Chiji and Lopez, 1968, p. 109, pl. 8, figs. 6a, b.
- Quinqueloculina boueana* d'Orbigny. Hanzawa, 1928 : Hada, 1936, p. 855, figs. 9a-c, 10a, b ; 1939 ; 1957b : Shuto, 1953 : Yoshida, 1953b.
- Quinqueloculina bradyana* Cushman. Morishima, 1948b ; 1950 : Chiji and Lopez, 1968, p. 109, pl. 8, figs. 7a, b.
- Quinqueloculina candeiana* d'Orbigny. Chiji and Lopez, 1968, p. 110, pl. 8, figs. 8a, b.
- Quinqueloculina contorta* d'Orbigny. Hada, 1939 ; 1957b : Fukuta, 1951 : Shuto, 1953 : Takayanagi, 1953b ; 1955 : Higuchi, 1954 : Asano, 1956b, p. 58, pl. 7, fig. 12 : Ujiié, 1956a : Ishiwada, 1958 : Chiji and Lopez, 1968, p. 110, pl. 8, figs. 9a, b : Matoba, 1970, p. 59, pl. 2, figs. 6a, b ; 1975 ; 1976c : Ikeya, 1977 : Aoshima, 1978.
- Quinqueloculina contorta striata* Asano. Asano, 1937b ; 1939.
- Quinqueloculina costata* d'Orbigny. Asano, 1937a ; 1956b, p. 58-59, pl. 7, fig. 14 : Hada, 1939 : Fukuta, 1951 : Shuto, 1953 : Iwasa, 1954 : Ishiwada, 1958 : Sawai, 1958 : Uchio, 1962a : Matoba, 1970, p. 59, pl. 2, figs. 4a, b : Ikeya, 1977 : Aoshima, 1978.
- Quinqueloculina crassa* d'Orbigny. Chiji and Lopez, 1968.
- Quinqueloculina crassa subcuneata* Cushman. Uchio, 1952a ; 1968 : Aoki, 1967.
- Quinqueloculina cultrata* (Brady). Shuto, 1965. [**Miliolina*].
- Quinqueloculina curta* Cushman. Hada, 1929 ; 1931, p. 80-81, text-figs. 33a-c ; 1939 : Asano, 1937a, pl. 15, figs. 1a-c ; 1938, p. 1257-1258 ; 1939 ; 1956b, p. 59, pl. 7, fig. 13 : Fukuta, 1951 : Morishima, 1955 : Aoki, 1967 : Ujiié and Kusukawa, 1969. (= *Quinqueloculina disparilis* d'Orbigny var. *curta* Cushman).
- Quinqueloculina cf. curta* Cushman. Matoba, 1970, p. 59, pl. 2, figs. 3a, b.
- Quinqueloculina dainitiensis* Asano. Higuchi, 1954.
- Quinqueloculina cf. depressa* d'Orbigny. Asano, 1956b, p. 64, pl. 7, fig. 15.
- Quinqueloculina disparilis* d'Orbigny var. *curta* Cushman. Hanzawa, 1928.
- Quinqueloculina elongata* Natland. Shuto, 1953 ; 1965 Iwasa, 1954 : Higuchi, 1954 : Takayanagi, 1955 : Sawai, 1955 ; 1958 : Chiji and Lopez, 1968, p. 110, pl. 8, fig. 10 : Matoba, 1970, p. 59, pl. 2, figs. 8a, b ; 1975 ; 1976c : Tai, 1971 : Ikeya, 1970 ; 1977 : Aoshima, 1978 : Kato, 1979.

- Quinqueloculina ferussacii* d'Orbigny. Asano, 1956b, p. 60, pl. 8, fig. 15.
- Quinqueloculina fukushimaensis* Takayanagi, 1955 (n. sp.), p. 51, figs. 26a-c: Kuwano, 1962, pl. 21, fig. 4; 1963: Matoba, 1970, p. 59, pl. 2, figs. 9a, b; 1975; 1976c.
- Quinqueloculina granulocostata* Germeraad. Uchio, 1968.
- Quinqueloculina granulosa* Natland. Chiji and Lopez, 1968, p. 110, pl. 8, figs. 11a, b.
- Quinqueloculina hasimotoi* Asano. Shuto, 1953: Takayanagi, 1955: Kato, 1979.
- Quinqueloculina kuromatsunaiensis* Asano. Matoba, 1975; 1976c Kato, 1979.
- Quinqueloculina laevigata* d'Orbigny. Chiji and Lopez, 1968, p. 110, pl. 8, figs. 12a, b, 13a, b.
- Quinqueloculina lamarckiana* d'Orbigny. Hada, 1931, p. 79-80, text-figs. 32a-c: Asano, 1937a, b; 1938; 1939; 1956b, p. 60-61, pl. 7, fig. 17, pl. 8, figs. 14, 17, pl. 9, fig. 17: Oinomikado and Stach, 1948: Morishima, 1948b; 1950; 1955: Shuto, 1953; 1965: Takayanagi, 1953b: Nagahama, 1954: Higuchi, 1954: Sawai, 1958: Harrington, 1960: Aoki, 1967: Uchio, 1968: Chiji and Lopez, 1968, p. 110, pl. 8, figs. 14a, b: Ujiié and Kusukawa, 1969: Tai, 1971: Ikeya, 1977: Aoshima, 1978.
- Quinqueloculina cf. lamarckiana* d'Orbigny. Matoba, 1970, p. 59, pl. 2, figs. 7a, b.
- Quinqueloculina cf. lata* Terquem. Chiji and Lopez, 1968, p. 110, pl. 9, figs. 1a, b.
- Quinqueloculina limbata* d'Orbigny. Chiji and Lopez, 1968, p. 110, pl. 9, figs. 2a, b.
- Quinqueloculina lutea* (d'Orbigny). Hada, 1936. (**Triloculina*).
- Quinqueloculina parkeri* (Brady). Oinomikado and Stach, 1948: Morishima, 1948b; 1950; 1955: Uchio, 1952; 1962a; 1968: Shuto, 1953; 1965: Chiji and Lopez, 1969, p. 110, pl. 9, figs. 4a, b: Kato, 1979. (**Miliolina*).
- Quinqueloculina poeyana* d'Orbigny. Hada, 1957b: Chiji and Lopez, 1968, p. 110, pl. 9, figs. 3a, b.
- Quinpueloculina polygona* d'Orbigny. Asano, 1937a, pl. 15, figs. 4a, b; 1938: Takayanagi, 1953b; 1955: Higuchi, 1954: Morishima, 1955: Shuto, 1953; 1965: Harrington, 1960: Aoki, 1967: Chiji and Lopez, 1968.
- Quinqueloculina pygmaea* Reuss. Hada, 1931, p. 77-78, text-figs. 30a, b; 1937; 1957b: Oinomikado and Stach, 1948: Fukuta, 1951.
- Quinqueloculina rhodiensis* Parker. Matoba, 1970, p. 59, pl. 2, figs. 11a, b: Ikeya, 1977.
- Quinqueloculina reticulata* (d'Orbigny). Hanzawa, 1928: Chiji and Lopez, 1968, p. 110, pl. 9, figs. 5a-c. (**Triloculina*).
- Quinqueloculina rugosa* d'Orbigny. Hada, 1929: Oinomikado and Stach, 1948.
- Quinqueloculina sagamiensis* Asano. Asano, 1956b, p. 61, pl. 7, fig. 16.
- Quinqueloculina sawanensis* Asano. Shuto, 1953: Takayanagi, 1953a, b; 1955: Higuchi, 1954: Aoki, 1967.
- Quinqueloculina seminula* (Linné). Yabe and Hanzawa, 1925: Hanzawa, 1928; 1934: Hada, 1929; 1931, p. 76, text-fig. 28; 1936; 1937; 1939; 1956b: Asano, 1937a, pl. 15, figs. 2a-c; 1938; 1939; 1956b, p. 61-62, pl. 8, fig. 9, pl. 9, fig. 14: Morishima, 1947; 1948a; 1955: Oinomikado and Stach, 1948: Nagahama, 1951: Fukuta, 1951: Takayanagi, 1953a, b; 1955, p. 41, pl. 1, figs. 11a, b: Nakaseko, 1953: Shuto, 1953; 1965: Yoshida, 1954: Iwasa, 1954: Sawai, 1955; 1958: Ishiwada, 1958; 1964: Harrington, 1960: Aoki, 1967: Chiji and Lopez, 1968, p. 110, pl. 9, figs. 6a, b: Ujiié and Kusukawa, 1969: Chiji and Konda, 1970: Matoba, 1970, p. 59, pl. 2, figs. 10a, b; 1975; 1976a, c: Ikeya, 1970; 1977: Tai, 1971: Aoshima, 1978: Kato, 1979. (**Serpula*).
- Quinqueloculina semireticulosa* Cushman. Hada, 1939.
- Quinqueloculina stalker* Loeblich and Tappan. Iwasa, 1954.

- Quinqueloculina subagglutinata* Asano. Asano, 1956b, p. 62–63, pl. 8, fig. 12: Chiji and Lopez, 1968, p. 110, pl. 9, figs. 8a–c: Chiji and Konda, 1970: Kato, 1979.
- Quinqueloculina subarenaria* Cushman. Fukuta, 1951: Shuto, 1953: Asano, 1956b, p. 63, pl. 7, fig. 19: Kuwano, 1962, pl. 21, fig. 5; 1963: Uchio, 1962a; 1968.
- Quinqueloculina subquadra* Hada, 1931 (n. sp.), p. 78–79, text-fig. 31a–c.
- Quinqueloculina subrotunda* (Montagu). Takayanagi, 1955, p. 41, pl. 1, figs. 12a–c: Ishiwada, 1958. [**Vermiculum*].
- Quinqueloculina sulcata* d'Orbigny. Uchio, 1952: Chiji and Lopez, 1968, p. 110, pl. 9, figs. 7a, b.
- Quinqueloculina tropicalis* Cushman. Hanzawa, 1948.
- Quinqueloculina venusta* Karrer. Hanzawa, 1928; 1934: Ishiwada, 1950.
- Quinqueloculina vulgaris* d'Orbigny. Hada, 1929; 1931, p. 76–77, text-figs. 29a–c: Asano, 1937a, b; 1938; 1939; 1956b, p. 63–64, pl. 8, fig. 10, pl. 9, fig. 13: Morishima, 1947; 1948b; 1950; 1955: Oinomikado and Stach, 1948: Fukuta, 1951: Nakaseko, 1953: Shuto, 1953; 1965: Takayanagi, 1953a: Kuwano, 1953: Higuchi, 1954: Sawai, 1955; 1958: Harrington, 1960: Chiji and Lopez, 1968, p. 111, pl. 9, figs. 9a–c: Matoba, 1970, p. 59–60, pl. 2, figs. 5a, b; 1975; 1976a, c: Chiji and Konda, 1970: Tai, 1971: Ikeya, 1971b; 1977: Aoshima, 1978: Kato, 1979.
- Quinqueloculina yabei* Asano, 1936b, p. 942, pl. 51(17), figs. 1a–c; 1937a, b; 1938, p. 1258: Oinomikado and Stach, 1948: Takayanagi, 1955: Uchio, 1968: Matoba, 1970, p. 60.
- Quinqueloculina yezoensis* Asano. Higuchi, 1954: Kato, 1979.
- Quinqueloculina* sp. Asano, 1956b, p. 65, pl. 7, fig. 18.
- Quinqueloculina* sp. Asano. 1956b, p. 65, pl. 8, fig. 13.
- Quinqueloculina* sp. 4. Matoba, 1970, p. 60, pl. 2, figs. 12a, b.
- Quinqueloculina* sp. 5. Matoba, 1970, p. 60, pl. 2, figs. 13a, b.
- Quinqueloculina* sp. 6. Matoba, 1970, p. 60, pl. 2, figs. 14a, b.
- Ramulina globulifera* Brady. Asano, 1937b.
- Rectobolivina bifrons* (Brady). Nagahama, 1954: Ishiwada, 1958, p. 28–29, pl. 5, figs. 10, 11; 1964, pl. 4, fig. 68: Kuwano, 1962, pl. 21, fig. 6; 1963: Aoshima, 1978: Kato, 1979. [**Sagrina*, *Siphogenerina*].
- Rectobolivina bifrons striatula* (Cushman). Shuto, 1953; 1965: Asano, 1958, p. 29–30, pl. 5, figs. 12, 13. (= *Siphogenerina bifrons* (Brady) var. *striatula* Cushman).
- Rectobolivina columellaris* (Brady). Hasegawa, 1979. [**Sagrina*, *Siphogenerina*].
- Rectobolivina columellaris costulata* (Ishiwada). Aoshima, 1978. [**Siphogenerina*].
- Rectobolivina raphana* (Parker and Jones). Uchio, 1968: Matoba, 1970, p. 60, pl. 3, fig. 31; 1975; 1976a, c: Chiji and Konda, 1970: Matoba and Nakagawa, 1972: Aoshima, 1978: Hasegawa, 1979. [**Uvigerina* (*Sagrina*), *Siphogenerina*].
- Recurvooides bosensis* Kuwano, 1962 (n. sp.), pl. 21, fig. 7; 1963. (nom. nud.).
- Recurvooides turbinatus* (Brady). Hada, 1957b: Chiji and Konda, 1970, pl. 7, figs. 10a, b: Ikeya, 1970; 1971b: Matoba and Nakagawa, 1972: Matoba, 1975; 1976a, b, c. [**Haplophragmium*].
- Reophax advenus* Cushman. Hada, 1957b.
- Reophax agglutinatus* Cushman. Hada, 1957b.
- Reophax arcticus* Brady. Hada, 1957b.
- Reophax atlantica* Cushman. Chiji and Konda, 1970, pl. 7, fig. 5.
- Reophax bacillaris* Brady. Chiji and Lopez, 1968.

- Reophax bilocularis* Flint. Hada, 1931, p. 57-58, text-fig. 9; 1957b: Asano, 1939: Oniomikado and Stach, 1948: Morishima, 1955.
- Reophax communis* Lacroix. Hada, 1957b: Uchio, 1959: Matoba, 1976a.
- Reophax concentricus* Cushman. Morishima, 1948b; 1950.
- Reophax curtus* Cushman. Hada, 1931, p. 57, text-fig. 8: Asano, 1937b; 1938; 1939: Kuwano, 1951: Takayanagi, 1953b: Morishima, 1955: Shuto, 1965: Ujié and Kusukawa, 1969: Chiji and Konda, 1970, pl. 7, fig. 4: Ikeya, 1970; 1971b.
- Reophax cylindricus* Brady. Hada, 1957b.
- Reophax delicatus* Hada, 1957b. (n. sp.), p. 30, figs. 9a, b.
- Reophax dentaliniformis* Brady. Hanzawa, 1928: Hada, 1931, p. 59-60, text-fig. 11; 1957b: Ujié and Kusukawa, 1969: Ikeya, 1970: Chiji and Konda, 1970: Matoba, 1975; 1976a, c: Aoshima, 1978. [**Lituola* (*Reophax*)].
- Reophax diffugiformis* Brady. Kuwano, 1962, pl. 21, figs. 8, 9: Aoshima, 1978. [*Lagenammina*, *Proteonina*].
- Reophax distance* (Brady). Hanzawa, 1928. [**Lituola* (*Reophax*)].
- Reophax enormous* Hada, 1929 (n. sp.), p. 10, text-figs. a-d; 1931, p. 60-61, text-figs. 12a-c; 1957b.
- Reophax eoconica* (Cushman). Ikeya, 1977. [**Proteonina*].
- Reophax excentricus* Cushman. Hada, 1931, p. 58-59, text-fig. 1957b: Morishima, 1955: Chiji and Konda, 1970, pl. 7, fig. 3: Matoba, 1976a.
- Reophax fusiformis* (Williamson). Shuto, 1965: Chiji and Lopez, 1968: Ujié and Kusukawa, 1969: Chiji and Konda, 1970: Aoshima, 1978. [**Proteonina*].
- Reophax gracilis* (Kiaer). Hada, 1931, p. 61, text-fig. 13; 1957b: Uchio, 1962b: Chiji and Lopez, 1968, p. 111, pl. 6, fig. 1: Ujié and Kusukawa, 1969: Matoba, 1970, p. 60, pl. 1, fig. 3; 1975; 1976a, c: Ikeya, 1970; 1977. [**Nodulina*].
- Reophax guttifer* (Brady). Matoba, 1975; 1976a, c. [**Lituola* (*Reophax*)],
- Reophax nana* Rhumbler. Matoba, 1970, p. 60, pl. 1, fig. 1: Ikeya, 1977.
- Reophax nodulosa* Brady. Hanzawa, 1928: Morishima, 1955.
- Reophax nodulosus* Brady var. *minor* Hada, 1957a (n. var.), p. 27, fig. 6; 1957b.
- Reophax obliquus* Hada, 1957a (n. sp.), p. 29-30, figs. 8a-c; 1957b.
- Reophax pacificus* Hada, 1957a (n. sp.), p. 28-29, fig. 7; 1957b.
- Reophax palaoensis* Hada, 1957a (n. sp.), p. 26, fig. 4.
- Reophax paucus* Hada, 1957a (n. sp.), p. 25, fig. 3; 1957b.
- Reophax pilulifer* Brady. Hanzawa, 1928: Hada, 1931, p. 56, text-fig. 7; 1957b: Asano, 1939: Chiji and Konda, 1970, pl. 7, figs. 1a, b: Matoba, 1976a, c.
- Reophax pilulifer* Brady var. Kuwano, 1962, pl. 22, figs. 1-3.
- Reophax scorpiurus* Montfort. Hada, 1931, p. 55-56, text-fig. 6; 1957b: Hanzawa, 1934: Asano, 1938; 1939: Ishiwada, 1950: Kuwano, 1953: Sawai, 1958: Uchio, 1959; 1962b; 1968: Chiji and Konda, 1970, pl. 7, fig. 2: Ikeya, 1970; 1971b: Matoba, 1975; 1976c: Aoshima, 1978.
- Reophax scotti* Chaster. Uchio, 1962a: Matoba, 1970, p. 60, pl. 1, fig. 3; 1976a.
- Reophax spiculotestus* Cushman. Hada, 1957b.
- Reophax validus* Hada, 1957a (n. sp.), p. 26-27, fig. 5; 1957b.
- Reophax* sp. Kuwano, 1962, pl. 21, figs. 10, 11.
- Reussella aculeata* Cushman. Shuto, 1953; 1965: Takayanagi, 1953b; 1955: Iwasa, 1954: Nagahama, 1954: Asano, 1958, p. 16, pl. 1, figs. 16a, b, 17a, b: Sawai, 1958: Uchio,

- 1962a, b: Ishiwada, 1964, pl. 4, fig. 69: Chiji and Lopez, 1968, p. 111, pl. 10, fig. 19: Ujiié and Kusukawa, 1969: Aoshima, 1978: Kato, 1979.
- Reussella aqua* Cushman and McCulloch. Takayanagi, 1955.
- Reussella haizumensis* Asano. Higuchi, 1954: Asano, 1958, p. 17, pl. 1, figs. 12a, b: Matoba, 1975; 1976c.
- Reussella pacifica* Cushman and McCulloch. Shuto, 1953: Takayanagi, 1953b: Matoba, 1970, p. 60, pl. 3, figs. 33a, b; 1975; 1976a, c: Matoba and Nakagawa, 1972: Ikeya, 1977.
- Reussella simplex* Cushman. Uchio, 1962a, 1968: Aoki, 1967: Chiji and Lopez, 1968: Aoshima, 1978.
- Reussella spinulosa* (Reuss). Asano, 1937a, pl. 16, fig. 3; 1937b; 1938; 1939: Hada, 1939: Oinomikado and Stach, 1948: Ishiwada, 1950: Uchio, 1962, p. 153: Harrington, 1960: Ujiié and Kusukawa, 1969: Matoba, 1975; 1976c. [**Verneuilina, Reussia*].
- Reussella* sp. Asano, 1958, p. 17, pl. 1, fig. 19.
- Reussia spinulosa* (Reuss). Hada, 1931, p. 133-134, text-fig. 90. [**Verneuilina, Reussella*].
- Rhabdammina abyssorum* Sars. Hanzawa, 1928: Hada, 1957b: Aoshima, 1978.
- Rhabdammina linearis* Brady. Hanzawa, 1928: Chiji and Konda, 1970.
- Rhizammina indivisa* Brady. Hanzawa, 1928: Hada, 1957b: Aoshima, 1978.
- Roberina murotoensis* Brady. Asano, 1958 (n. sp.), p. 13-14, pl. 3, figs. 9a, b, 13a, b.
- Robertinoides charlottensis* (Cushman). Ikeya, 1971b. [**Cassidulina*].
- Robertinoides murotoensis* (Asano). Uchio, 1968. [**Robertina*].
- Robulus calcar* (Linné). Asano, 1937b; 1938: Morishima, 1955: Sawai, 1958: Kuwano, 1962, pl. 22, fig. 4: Uchio, 1968. [**Nautilus, Cristellaria, Lenticulina*].
- Robulus* cf. *calcar* (Linné). 1956a, p. 46-47, pl. 1, fig. 5.
- Robulus* cf. *chitanii* Yabe and Asano. Asano, 1956a, p. 51-52, pl. 2, fig. 3, pl. 3, fig. 11.
- Robulus costatus* (Fichtel and Moll). Sawai, 1958. [**Nautilus*].
- Robulus costatus multicostatus* (Cushman). Ishiwada, 1964, pl. 2, fig. 22. [**Cristellaria*].
- Robulus costatus subdecoratus* (Cushman). Ishiwada, 1964, pl. 2, fig. 23. [**Cristellaria*].
- Robulus depressus* Asano. Asano, 1956a, p. 50, pl. 1, figs. 12-14, pl. 2, figs. 1, 2, pl. 6, figs. 34, 36.
- Robulus echinata* d'Orbigny. Sawai, 1958.
- Robulus gibbus* (d'Orbigny). Asano, 1937b; 1939. [**Cristellaria*].
- Robulus iotus* (Cushman). Nakaseko, 1953. [**Cristellaria*].
- Robulus limbosus* (Reuss). Asano, 1937b; 1939: Fukuta, 1951: Harrington, 1960. [**Cristellaria (Robulina), Lenticulina*].
- Robulus lucidus* (Cushman). Takayanagi, 1955: Asano, 1956a, p. 48-49, pl. 1, figs. 15-18, pl. 2, figs. 5, 6, 10: Sawai, 1958: Ishiwada, 1964, pl. 2, fig. 24. [**Cristellaria, Lenticulina*].
- Robulus orbicularis* (d'Orbigny). Asano, 1937b; 1939; 1956a, p. 49-50, pl. 1, figs. 19-21: Sawai, 1958. [**Robulina, Cristellaria, Lenticulina*].
- Robulus reniformis* (d'Orbigny). Asano, 1939; 1956a, p. 46, pl. 1, figs. 6-8. [**Cristellaria*].
- Robulus sagamiensis* Asano. Asano, 1956a, p. 47-48, pl. 1, figs. 9-11. [*Lenticulina*].
- Robulus orbicularis subumbonatus* (Cushman). Asano, 1956a, p. 51, pl. 3, fig. 10. [**Cristellaria*].
- Robulus pseudorotulatus* Asano. Asano, 1939; 1956a, p. 50, pl. 2, figs. 8, 9, pl. 6, figs. 37, 39, 40, 43: Sawai, 1958: Ishiwada, 1964, pl. 2, fig. 25.
- Robulus submamilligerus* (Cushman). Asano, 1956a, p. 50-51, pl. 2, figs. 1, 2, pl. 6, figs.

- 31-33, 35, 38, 42: Ishiwada, 1964, pl. 2, fig. 26. [**Cristellaria*].
- Robulus* sp. Asano, 1956a, p. 52, pl. 3, fig. 16.
- Robulus* sp. Asano, 1956a, p. 52, pl. 2, fig. 7.
- Robulus* sp. Asano, 1956a, p. 52, pl. 3, fig. 3.
- Robulus* sp. Asano, 1956a, p. 52, pl. 2, fig. 4.
- Rosalina araucana* (d'Orbigny). Inoue, 1980.
- Rosalina australis* (Parr). Aoki, 1967: Matoba, 1970, p. 60, pl. 4, figs. 7a-c; 1975; 1976c: Kato, 1979. [**Discorbis, Discopulvinulina*].
- Rosalina bradyi* (Cushman). Uchio, 1962b: Aoki, 1967: Chiji and Lopez, 1968: Ujiié and Kusukawa, 1969: Matoba, 1970, p. 60, pl. 4, figs. 8a-c; 1975; 1976a, c: Ikeya, 1977: Aoshima, 1978: Kato, 1979. (= *Discorbis globularis* var. *bradyi* Cushman). [*Discopulvinulina, Discorbinella*].
- Rosalina columbiensis* (Cushman). Matoba, 1970, p. 60, pl. 4, figs. 9a-c; 1975; 1976c: Ikeya, 1970; 1977: Aoshima, 1978. [**Discorbis*].
- Rosalina concinna* (Brady). Aoki, 1967: Chiji and Lopez, 1968, p. 111, pl. 11, figs. 3a, b: Kato, 1979. [**Discorbina, Discorbinella, Discorbis*].
- Rosalina floridana* (Cushman). Chiji and Lopez, 1968, p. 111, pl. 11, figs. 5a, b. [**Discorbis*].
- Rosalina globularis* d'Orbigny. Uchio, 1968: Chiji and Lopez, 1968, p. 111, pl. 11, figs. 2a, b: Matoba, 1970, p. 61, pl. 4, figs. 10a-c; 1975; 1976c: Ikeya, 1977. [*Discorbis*].
- Rosalina micens* (Cushman). Chiji and Lopez, 1968: Ujiié and Kusukawa, 1969. [**Discorbis*].
- Rosalina rugosa* d'Orbigny. Chiji and Lopez, 1968, p. 111, pl. 11, figs. 4a, b.
- Rosalina stachi* Asano. Kato, 1979. [*Discopulvinulina, Neoconorbina*].
- Rosalina subbertheloti* (Cushman). Chiji and Lopez, 1968, p. 111, pl. 11, fig. 7. [**Discorbis*].
- Rosalina vilardeboana* d'Orbigny. Uchio, 1962a, b: Ishiwada, 1964, pl. 5, figs. 84a, b: Chiji and Lopez, 1968, p. 111, pl. 11, figs. 6a, b: Matoba, 1970, p. 61, pl. 4, figs. 11a-c; 1975; 1976a, b, c: Chiji and Konda, 1970: Ikeya, 1977: Aoshima, 1978: Inoue, 1980. [*Discorbis*].
- Rosalina williamsonii* (Chapman and Parr). Aoki, 1967. [**Discorbis*].
- Rotalia asanoi* Uchio. Uchio, 1952. (= *Rotalia beccarii asanoi* Uchio).
- Rotalia auriculus* (Fichtel and Moll). Sawai, 1958. [**Nautilus*].
- Rotalia beccarii* (Linné). Hada, 1929; 1936, p. 853, fig. 8; 1937; 1939; 1955, p. 4-6; 1957b: Asano, 1937a, b; 1938: Oinomikado and Stach, 1948: Maruhasi, 1948: Morishima, 1948a, b; 1950; 1955: Fukuta, 1951: Nagahama, 1951: Nakaseko, 1953: Shuto, 1953: Yoshida, 1953b; 1954: Sawai, 1955; 1958: Matsuda, 1957. [**Nautilus, Ammonia, Streblus*]).
- Rotalia cf. beccarii* (Linné). Morishima and Chiji, 1952, pl. 2, figs. 5a, b.
- Rotalia beccarii aomoriensis* Asano. Ishiwada, 1958, pl. 2, figs. 9-11. [*Ammonia*].
- Rotalia beccarii* (Linné) var. A. Ishiwada, 1958, pl. 2, figs. 1-8.
- Rotalia beccarii* (Linné) forma A. Takayanagi, 1955, p. 44-45, figs. 30a-c, 31a-c.
- Rotalia beccarii* (Linné) forma B. Takayanagi, 1955, p. 45, figs. 32a-c, 33a-c.
- Rotalia beccariformis* White. Nagahama, 1951.
- Rotalia broeckhiana* Karrer. Yabe and Hanzawa, 1925: Hada, 1929.
- Rotalia calcar* (d'Orbigny). Hada, 1929; 1937. [**Calcarina*].
- Rotalia inflata* (Seguenza). Takayanagi, 1955, pl. 2, figs. 18a-c. [**Rosalina, Ammonia*].
- Rotalia japonica* Hada, 1931 (n. sp.), p. 137-138, text-figs. 93a-c; 1936; 1938; 1939: Asano, 1937a; 1938: Oinomikado and Stach, 1948: Morishima, 1947; 1948a; 1955: Mori-

- shima and Chiji, 1952, pl. 1, figs. 9a-c : Iwasa, 1954 : Higuchi, 1954 : Takayanagi, 1953a, b ; 1955 : Shuto, 1953 ; 1965. (*Ammonia, Streblus*).
- Rotalia ketienziensis angulata* Kuwano. Takayanagi, 1953b. (*Ammonia, Streblus*).
- Rotalia ? minuta* Takayanagi, 1955 (n. sp.), p. 52, figs. 29a-c. (*Pararotalia*).
- Rotalia nipponica* Asano. Asano, 1937a : Oinomikado and Stach, 1948 : Fukuta, 1951 : Morishima and Chiji, 1952 : Shuto, 1953 ; 1965 : Ishiwada, 1954 : Higuchi, 1954 : Nagahama, 1954 : Takayanagi, 1955, p. 45, pl. 2, figs. 14a-c : Morishima, 1955 : Ujiié, 1956a. (*Pararotalia*).
- Rotalia ozawai* Asano. Nakaseko, 1953 : Takayanagi, 1955, p. 45, pl. 2, figs. 17a, b. (*Ammonia, Pararotalia, Streblus*).
- Rotalia papillosa* Brady. Ikari, 1927, p. 6, pl. 2, figs. 14a, b : Hada, 1931, p. 136 : Hanzawa, 1934 : Asano, 1937a ; 1938, p. 1259 : Morishima, 1947 ; 1948b ; 1950 ; 1955 : Oinomikado and Stach, 1948 : Nakaseko, 1953 : Shuto, 1953 : Sawai, 1955 ; 1958 : Matsuda, 1957 : Ishiwada, 1958. (*Ammonia, Streblus*).
- Rotalia papillosa compressiuscula* Brady. Asano, 1937b.
- Rotalia papillosa* Brady var. *compressiuscula* Brady. Hada, 1931, p. 136-137, text-figs. 92a-c.
- Rotalia rosea* d'Orbigny. Morishima, 1948b ; 1950.
- Rotalia soldanii* (d'Orbigny). Yabe and Hanzawa, 1925 : Hanzawa, 1928. (**Gyroidina, Gyroidinoides*).
- Rotalia subornata* (Cushman). Shuto, 1965.
- Rotalia takanabensis* (Ishizaki). Takayanagi, 1953b : Kuwano, 1955. (**Streblus, Ammonia*).
- Rotalidium pacificum* Asano, 1936a (n. sp.), p. 350-351, figs. 1-3.
- Rotorbinella mira* (Cushman). Uchio, 1968. (**Discorbis*).
- Rugidia corticata* Heron-Allen and Earland. Aoki, 1967.
- Rupertina stabilis* Wallich. Fukuta, 1951.
- Saccammina longicollis* (Wiesner). Ujiié and Kusukawa, 1969 : Aoshima, 1978. (**Proteonina*).
- Saccammina minuta* Rhumbler. Hada, 1957b.
- Saccammina sphaerica* Brady. Hada, 1929 ; 1957b : Ujiié and Kusukawa, 1969 : Ikeya, 1970 : Chiji and Konda, 1970.
- Saccorhiza ramosa* (Brady). Hanzawa, 1928. (**Hyperammina*).
- Sagrina raphana* (Parker and Jones). Ikari, 1927, p. 5, pl. 2, figs. 5a, b. (**Uvigerina (Sagrina), Rectobolivina*).
- Saracenaria angularis* Natland. Asano, 1956a, p. 7-8, pl. 3, figs. 20, 21 : Uchio, 1968 : Aoshima, 1978.
- Saracenaria italicica* Defrance. Asano, 1939.
- Saracenaria latifrons* (Brady). Asano, 1956a, p. 8, pl. 3, fig. 19 : Aoshima, 1978. (**Cristellaria*).
- Schlumbergerina alveoliniformis* (Millett). Hanzawa, 1948 : Sawai, 1958 : Chiji and Lopez, 1968. (**Massilina*).
- Scutuloritis tegminis* Loeblich and Tappan. Ikeya, 1970.
- Scutuloritis* sp. A. Chiji and Lopez, 1968, p. 111, pl. 10, figs. 6a-c, 7a-c.
- Sigmavirgulina tortuosa* (Brady). Uchio, 1962a : Chiji and Lopez, 1968, p. 111, pl. 15, fig. 1. (**Bolivina*).
- Sigmoidella kagaensis* Cushman and Ozawa. Hada, 1931, p. 116, text-figs. 75a, b : Asano,

- 1937a, pl. 16, fig. 1; 1938: Oinomikado and Stach, 1948: Kuwano, 1953: Shuto, 1953; 1965: Takayanagi, 1953b: Morishima, 1955: Harrington, 1960: Aoki, 1967: Uchio, 1968: Ikeya, 1971b: Matoba, 1975; 1976c: Aoshima, 1978.
- Sigmoidella margaretae* Cushman and Ozawa. Ikeya, 1971b; 1977: Aoshima, 1978.
- Sigmoidella pacifica* Cushman and Ozawa. Chiji and Konda, 1970: Matoba, 1976a, c. [*Sigmoidella* (*Sigmoidina*), *Guttulina*].
- Sigmoilina arenaria* (Brady). Takayanagi, 1953b: Sawai, 1958. [**Spiroloculina*, *Massilina*, *Sigmoilopsis*].
- Sigmoilina australis* Parr. Ujiié and Kusukawa, 1969.
- Sigmoilina celata* Costa. Yabe and Hanzawa, 1925: Hanzawa, 1928.
- Sigmoilina schlumbergeri* Silvestri. Morishima, 1947; 1948a: Shuto, 1953; 1965: Takayanagi, 1953b; 1955, pl. 1, figs. 13a, b: Asano, 1956b, p. 70: Sawai, 1958: Tai, 1971: Kato, 1979. [*Sigmoilopsis*].
- Sigmoilina sigmoidea* (Brady). Yabe and Hanzawa, 1925: Hanzawa, 1928. [**Planispirina*].
- Sigmoilina sigmoidea compressa* Cushman. Asano, 1956b, p. 70, pl. 7, fig. 20.
- Sigmoilina tenuis* (Czjzek). Takayanagi, 1953b. [**Quinqueloculina*].
- Sigmoilopsis arenaria* (Brady). Aoshima, 1978. [**Spiroloculina*, *Massilina*, *Sigmoilina*].
- Sigmoilopsis schlumbergeri* (Silvestri). Uchio, 1962a: Ishiwada, 1964, pl. 2, fig. 18: Chiji and Lopez, 1968, p. 111, pl. 7, fig. 9: Matoba, 1975; 1976c. [**Sigmoilina*].
- Sigmomorpha ozawai* Hada, 1931 (n. sp.), p. 115, text-figs. 73a, b. [*Sigmomorphina*].
- Sigmomorphina gallowayi* Cushman and Ozawa. Shuto, 1953: Ikeya, 1970; 1971.
- Sigmomorphina kotoi* Cushman and Ozawa. Shuto, 1965.
- Sigmomorphina ozawai* (Hada). Ujiié and Kusukawa, 1969: Ikeya, 1971b. [**Sigmomorpha*].
- Sigmomorphina trilocularis* (Bagg). Asano, 1937a. [**Polymorphina*].
- Sigmomorphina urasimaensis* Asano, 1939 (n. sp.). (nom. nud.).
- Sigmomorphina yokoyamai* (Cushman and Ozawa). Chiji and Konda, 1970. (= *Sigmomorpha* (*Sigmomorpha*) *yokoyamai* Cushman and Ozawa).
- Silicosigmoilina abyssalica* Inoue, 1980 (n. sp.), p. 257-258, pl. 26, figs. 7a, b, 11, 12, 14, 16, 19a, b, 20.
- Silicosigmoilina groenlandica* (Cushman). Ikeya, 1970. (= *Quinqueloculina fusca* Brady var. *groenlandica* Cushman).
- Siphogenerina bifrons* Brady. Yabe and Hanzawa, 1925: Hanzawa, 1928: Asano, 1937b. [**Sagrina*, *Rectobolivina*].
- Siphogenerina* (*Rectobolivina*) *bifrons* var. *striatula* Cushman. Hanzawa, 1928. (*Rectobolivina*).
- Siphogenerina columellaris* (Brady). Takayanagi, 1953b: Asano, 1958, p. 30, pl. 7, figs. 14, 15: Tai, 1971. [**Sagrina*, *Rectobolivina*].
- Siphogenerina columellaris costulata* Ishiwada, 1964 (n. subsp.), p. 41, pl. 5, fig. 82. (*Rectobolivina*).
- Siphogenerina costata* Schlumberger. Fukuta, 1951.
- Siphogenerina dimorpha* (Parker and Jones). Ishiwada, 1950. [**Uvigerina* (*Sagrina*)].
- Siphogenerina raphana* (Parker and Jones). Yabe and Hanzawa, 1925: Hanzawa, 1928; 1948: Hada, 1929; 1931, p. 134-135, text-figs. 91a, b: Asano, 1937a, b; 1938, p. 1258; 1939; 1958, p. 30-32, pl. 7, figs. 8-10: Oinomikado and Stach, 1948: Ishiwada, 1950; 1964, pl. 5, fig. 81: Uchio, 1952; 1962a, b: Shuto, 1953; 1965: Takayanagi, 1953b; 1955: Nagahama, 1954: Morishima, 1955: Matsuda, 1957: Sawai, 1958: Harrington,

- 1960 : Kuwano, 1962, pl. 22, fig. 5 : Aoki, 1967 : Ujié and Kusukawa, 1969 : Tai, 1971 : Ikeya, 1971b : Inoue, 1980. (**Uvigerina (Sagrina), Rectobolivina*).
- Siphogenerina raphana tropica* Cushman. Asano, 1958, p. 32, pl. 7, fig. 11.
- Siphogenerina semistriata* (Schubert). Asano, 1958, p. 32-33, pl. 7, figs. 12, 13. (= *Sagrina raphanus* var. *semistriata* Schubert).
- Siphogenerina striata* (Schwager). Asano, 1937b. (**Dimorphina*).
- Siphogenerina virgula* (Brady). Chiji and Lopez, 1968. (**Sagrina, Rectobolivina*).
- Siphonaperta macbeathi* Vella. Matoba, 1970, p. 61, pl. 2, figs. 19a, b.
- Siphonia reticulata* (Cžjzek). Yabe and Hanzawa, 1925. (**Rotalina*).
- Siphonina nipponica* Asano. Asano, 1939.
- Siphonina tubulosa* Cushman. Aoki, 1967.
- Siphoninoides echinatus* (Brady). Uchio, 1952; 1968 : Morishima, 1955. (**Planorbulina*).
- Siphoninoides glabra* (Heron-Allen and Earland). Uchio, 1952; 1962a; 1968 : Aoki, 1967. (**Truncatulina*).
- Siphotextularia saulcyana* (d'Orbigny). Chiji and Lopez, 1968 : Ujié and Kusukawa, 1969 : Matoba, 1976a. (**Textularia, Textularia (Siphotextularia)*).
- Siphouvierina interrupta* (Brady). Aoshima, 1978. (**Uvigerina*).
- Siphouvierina porrecta* (Brady). Aoshima, 1978. (**Uvigerina, Neouvigerina*).
- Sorites duplex* (Carpenter). Hanzawa, 1928. (**Orbitolites*).
- Sorites marginalis* (Lamarck). Hanzawa, 1928; 1948 : Asano, 1937b, p. 40 : Uchio, 1968 : Chiji and Lopez, 1968. (**Orbulites*).
- Sphaeroidina bulloides* d'Orbigny. Yabe and Hanzawa, 1925 : Morishima, 1955 : Matoba and Nakagawa, 1972 : Matoba, 1976a, b : Aoshima, 1978 : Inoue, 1980.
- Sphaeroidina* cf. *bulloides* d'Orbigny. Kuwano, 1962, pl. 22, fig. 6.
- Spaeroidina* sp. A. Kuwano, 1962, pl. 22, fig. 7.
- Spirillina limbata* var. *denticulata* Brady. Uchio, 1952.
- Spirillina limbata papillosa* Cushman. Uchio, 1968.
- Spirillina tuberculata* Brady. Hanzawa, 1928. (= *Spirillina vivipara* Ehrenberg var. *tuberculata* Brady).
- Spirillina vivipara* Ehrenberg. Uchio, 1968.
- Spirillina* cf. *vivipara* Ehrenberg. Matoba, 1970, p. 61, pl. 5, figs. 7a-c.
- Spirillina vivipara densepunctata* Cushman. Uchio, 1968.
- Spirolina acicularis* (Batsch). Shuto, 1965. (**Nautilus (Lituus)*).
- Spirolina arietina* (Batsch). Uchio, 1968 [**Nautilus (Lituus)*].
- Spiroloculina acescata* Cushman. Nakaseko, 1953 : Takayanagi, 1953b : Shuto, 1965 : Tai, 1971 : Kato, 1979. (= *Spiroloculina grateloupi* d'Orbigny var. *acescata* Cushman).
- Spiroloculina albatrosii* Cushman and Todd. Shuto, 1953 : Sawai, 1955 : Tai, 1971 : Kato, 1979.
- Spiroloculina angulata* Cushman. Shuto, 1953 : Higuchi, 1954 : Asano, 1956b, p. 66-67, pl. 7, fig. 9. (= *Spiroloculina grata* Terquem var. *angulata* Cushman).
- Spiroloculina antillarum* d'Orbigny. Hanzawa, 1928 : Asano, 1937b : Hada, 1937 : Oinomikado and Stach, 1948 : Uchio, 1952 : Shuto, 1953 ; 1965 : Harrington, 1960.
- Spiroloculina antillarum angulata* Cushman. Asano, 1937a.
- Spiroloculina arenaria* Brady. Hanzawa, 1928 : Shuto, 1953. (*Massilina, Sigmoilina, Sigmoilopsis*).
- Spiroloculina asperla* Karrer. Hanzawa, 1928.

- Spiroloculina canaliculata* d'Orbigny. Asano, 1937b; 1939: Hanzawa, 1948: Shuto, 1953: Morishima, 1955.
- Spiroloculina communis* Cushman and Todd. Nakaseko, 1953: Takayanagi, 1953b; 1955: Iwasa 1954: Sawai, 1955; 1958: Asano, 1956b, p. 67-68, pl. 7, figs. 2, 3: Shuto, 1953; 1965: Aoki, 1967: Uchio, 1968: Tai, 1971: Aoshima, 1978: Kato, 1979.
- Spiroloculina communis incisa* Cushman. Morishima, 1955: Uchio, 1962a.
- Spiroloculina corrugata* Cushman and Todd. Takayanagi, 1953b: Uchio, 1962a; 1968: Aoki, 1967: Chiji and Lopez, 1968, p. 112, pl. 7, fig. 7: Tai, 1971: Ikeya, 1971b.
- Spiroloculina costata* Hada, 1931 (n. sp.), p. 84-85, text-figs. 37a, b: Asano, 1937a.
- Spiroloculina cushmani* Hada, 1931 (n. sp.), p. 83-84, text-figs. 36a, b: Shuto, 1953: Takayanagi, 1953b: Tai, 1971: Kato, 1979.
- Spiroloculina cymbium* d'Orbigny. Chiji and Lopez, 1968. (= *Spiroloculina depressa* d'Orbigny var. *cymbium* d'Orbigny).
- Spiroloculina depressa* d'Orbigny. Hada, 1931, p. 82-83, text-figs. 35a, b; 1939: Asano, 1937a: Morishima, 1947, 1948a. b; 1950; 1955: Sawai, 1955.
- Spiroloculina disparilis* Terquem. Asano, 1956b, p. 66, pl. 7, fig. 7: Ikeya, 1971b.
- Spiroloculina elegans* Cushman. Asano, 1937b.
- Spiroloculina excavata* D'Orbigny. Shuto, 1965.
- Spiroloculina faveolata* Egger, Uchio, 1962a: Chiji and Lopez, 1968: Matoba, 1976c.
- Spiroloculina grata* Terquem. Hada, 1929: Shuto, 1953.
- Spiroloculina grateroupi* d'Orbigny. Asano, 1937a, pl. 15, figs. 6a-c; 1937b: Uchio, 1952: Shuto, 1953.
- Spiroloculina hadai* Thalmann. Oinomikado and Stach, 1948: Shuto, 1953: Asano, 1956b, p. 69, pl. 9, fig. 20: Uchio, 1962a; 1968: Matoba, 1975; 1976c: Kato, 1979.
- Spiroloculina laevigata* Cushman and Todd. Asano, 1956b, p. 69-70, pl. 7, fig. 6.
- Spiroloculina limbata* d'Orbigny. Hanzawa, 1928.
- Spiroloculina lucida* Cushman and Todd. Shuto, 1953: Asano, 1956b, p. 68-69, pl. 7, fig. 5: Chiji and Lopez, 1968: Ikeya, 1977: Kato, 1979.
- Spiroloculina manifesta* Cushman and Todd. Shuto, 1953; 1965: Takayanagi, 1953b; 1955: Asano, 1956b, p. 68, pl. 7, figs. 4, 8: Uchio, 1962a: Tai, 1971: Kato, 1979.
- Spiroloculina milletti* Wiesner. Hada, 1929. (*Massilina*).
- Spiroloculina nitida* d'Orbigny. Shuto, 1953.
- Spiroloculina nitida carinata* Brady. Iwasa, 1954.
- Spiroloculina planissima* (Lamarck). Asano, 1937a: Morishima, 1955. (= *Miliolites planulanulata* ver. *planissima* Lamarck).
- Spiroloculina planulata* (Lamarck). Asano, 1937a. [**Miliolites*].
- Spiroloculina scrobiculata* Cushman. Hada, 1939.
- Spiroloculina tenuimargo* Cushman. Asano, 1939. (*Spirophalmidium*).
- Spiroloculina validus* Cushman. Asano, 1937b.
- Spirophalmidium tenuimargo* (Cushman). Asano, 1956b, p. 82-83, pl. 7, fig. 10. [**Spiroloculina*].
- Spirolectammina atrata* (Cushman). Uchio, 1968. (= *Textularia sagittula* Defrance var. *atrata* Cushman).
- Spirolectammina bifrons* (Parker and Jones). Takayanagi, 1955, pl. 1, fig. 4: Chiji and Lopez, 1968, p. 112, pl. 6, fig. 5: Ikeya, 1970: Matoba, 1970, p. 61, pl. 1, figs. 10a, b; 1976a. (= *Textularia agglutinans* var. *bifrons* Parker and Jones). (*Spirolectina*).

- Spiroplectammina higuchii* Takayanagi. Takayanagi, 1955 : Kuwano, 1963 : Ishiwada, 1964, pl. 1, fig. 8 : Aoki, 1967 : Matoba, 1975 ; 1976a, c.
- Spiroplectammina pseudocarinata* Cushman. Uchio, 1968.
- Spiroplectammina typica* Lacroix. Takayanagi, 1955 : Matoba, 1970, p. 61, pl. 1, figs. 1la, b ; 1976a.
- Spiroplectina bifrons* (Parker and Jones). Hada, 1929. (= *Textularia agglutinans* var. *bifrons* Parker and Jones). [*Spiroplectammina*].
- Sporadotrema cylindricum* (Carter). Hanzawa, 1948. [**Polytrema*].
- Stainforthia apertura* (Uchio). Matoba, 1976b. [**Virgulina*].
- Stainforthia concava* (Höglund). Hasegawa, 1979. [**Virgulina*].
- Stainforthia exilis tenuata* (Cushman). Inoue, 1981, pl. 27, fig. 11. [**Virgulina*].
- Streblus beccarii* (Linné). Shuto, 1965. [**Nutilus, Ammonia, Rotalia*].
- Streblus gaimardi* (d'Orbigny). Shuto, 1965. [**Rotalia (Turbinulina), Pseudorotalia*].
- Streblus japonicus* (Hada). Uchio 1959 : Ishiwada, 1964. [**Rotalia, Ammonia*].
- Streblus ketienensis* Ishizaki. Ishiwada, 1950 ; 1964. [Ammonia].
- Streblus ketienensis angulatus* (Kuwano). Kuwano, 1962, pl. 23, fig. 1 ; 1963 : Ishiwada, 1964, pl. 6, figs. 92a-c. [**Rotalia, Ammonia*].
- Streblus ketienensis* var. A. Kuwano, 1962, pl. 23, fig. 2.
- Streblus ketienensis* var. B. Kuwano, 1962, pl. 23, fig. 3.
- Streblus ozawai* (Asano). Shuto, 1965. [**Rotalia, Ammonia, Pararotalia*].
- Streblus papillosus* (Brady). Ishiwada, 1964. [**Rotalia, Ammonia*].
- Streblus takanabensis* Ishizaki. Kuwano, 1962, pl. 23, fig. 4 ; 1963 : Ishiwada, 1964, pl. 6, figs. 93a, b. [Ammonia, Rotalia].
- Technitella bradyi* Earland. Hada, 1957b.
- Technitella legumen* Norman. Hada, 1957b.
- Technitella raphana* Brady. Hada, 1957b.
- Textularia abbreviata* d'Orbigny. Asano, 1937b : 1950 : Shuto, 1953 : Takayanagi, 1953b ; 1955 : Sawai, 1958 : Tai, 1971.
- Textularia agglutinans* d'Orbigny. Yabe and Hanzawa, 1925 : Hanzawa, 1928 : Asano, 1937 a, b ; 1938 : Sawai, 1955 ; 1958 : Hada, 1957b : Ikeya, 1971b : Aoshima, 1978 : Kato, 1979.
- Textularia agglutinans fistula* Cushman. Uchio, 1952 ; 1968.
- Textularia andenensis* Asano. Sawai, 1955 ; 1958 : Aoshima, 1978.
- Textularia aokii* Asano. Aoshima, 1978.
- Textularia articulata* d'Orbigny. Shuto, 1953 ; 1965 : Takayanagi, 1953b : Nakaseko, 1953 : Chiji and Lopez, 1968, p. 112, pl. 6, figs. 12a, b : Tai, 1971 : Kato, 1979.
- Textularia aspra* Brady. Hada, 1957b.
- Textularia atrata* Cushman. Hada, 1957b.
- Textularia bigenerinoides* Lacroix. Kuwano, 1962, pl. 23, fig. 5 ; 1963.
- Textularia candeiana* d'Orbigny. Hada, 1931, p. 70, text-figs. 22a, b ; 1937 ; 1957b : Asano, 1938 : Shuto, 1953 ; 1965 : Sawai, 1958 : Chiji and Lopez, 1968, p. 112, pl. 6, figs. 11a, b : Matoba, 1970, p. 61, pl. 1, figs. 13a, b : Tai, 1971 : Kato, 1979.
- Textularia concava* (Karrer). Hada, 1957b. [**Plecanium*].
- Textularia conica* d'Orbigny. Hada, 1929 ; 1957b : Morishima, 1948b ; 1950 ; 1955 : Uchio, 1952 ; 1962a ; Takayanagi, 1953b : Nakaseko, 1953 : Shuto, 1953 ; 1965 : Higuchi, 1954 : Sawai, 1955 ; 1958 : Harrington, 1960 : Aoki, 1967 : Chiji and Lopez, 1968, p. 112, pl. 6, figs. 8a, b : Ujiié and Kusukawa, 1969 : Tai, 1971 : Matoba, 1975 ; 1976a, c : Aoshima,

- 1978 : Kato, 1979.
- Textularia calva* Lalicker. Chiji and Lopez, 1968, p. 112, pl. 6, figs. 13a, b.
- Textularia corrugata* Heron-Allen and Earland. Hada, 1957b : Matoba, 1976c.
- Textularia crassisepta* Cushman. Hada, 1957b.
- Textularia crescentiformis* Cushman. Chiji and Lopez, 1968.
- Textularia crispata* Brady. Hada, 1957b.
- Textularia cuneata* Hada, 1931 (n. sp.), p. 71-72, text-figs. 24a, b ; 1939 ; 1957b : Shuto, 1953.
- Textularia earlandi* Parker. Uchio, 1959 ; 1962a, b : Matoba, 1970, p. 61, pl. 1, fig. 12 (= *Textularia tenuissima* Earland) ; 1975 ; 1976a, b, c : Matoba and Nakagawa, 1972 : Ikeya, 1970 ; 1977.
- Textularia cf. earlandi* Parker. Chiji and Lopez, 1968, p. 112, pl. 6, fig. 10.
- Textularia fistula* Cushman. Shuto, 1953 : Sawai, 1958 : Uchio, 1962a : Ikeya, 1970. (= *Textularia agglutinans* d'Orbigny var. *fistula* Cushman).
- Textularia foliacea* Heron-Allen and Earland. Takayanagi, 1953b : Morishima, 1955 : Hada, 1957b : Uchio, 1968 : Chiji and Lopez, 1968 : Shuto, 1965 : Aoshima, 1978 : Kato, 1979.
- Textularia foliacea oceanica* Cushman. Shuto, 1953 : Takayanagi, 1953b : Uchio, 1968 : Tai, 1971 : Kato, 1979.
- Textularia (Bolivinella) folium* Parker and Jones. Hanzawa, 1928.
- Textularia flinti* Cushman. Yabe and Hanzawa, 1925.
- Textularia goesii* Cushman. Hada, 1957b.
- Textularia gramen* d'Orbigny. Hanzawa, 1934 ; 1948 : Asano, 1937a, b ; 1938 ; 1939 : Oinomikado and Stach, 1948 : Morishima, 1948b ; 1950 ; 1955 : Fukuta, 1951 : Ishiwada, 1954 : Hada, 1957b : Sawai, 1958 : Harrington, 1960.
- Textularia gramen* var. *multiaperturae* Hada, 1957b (n. sp.). (*nom. nud.*).
- Textularia hauerii* d'Orbigny. Hada, 1931, p. 71, text-figs. 23a, b ; 1937 ; 1939 ; 1957b : Asano, 1937b : Morishima, 1947 ; 1948b ; 1950 ; 1955 : Hanzawa, 1948 : Shuto, 1965.
- Textularia havevii* d'Orbigny. Asano, 1937b.
- Textularia heterostoma* Fornasini. Hada, 1957b.
- Textularia horrida* Egger. Hada, 1957b.
- Textularia kerimbaensis* Said. Uchio, 1962a ; 1968 : Chiji and Lopez, 1968, p. 112, pl. 6, figs. 9a, b.
- Textularia lythostrota* (Schwager). Shuto, 1965 : Aoshima, 1978. [**Plecanium*].
- Textularia levigata* Hada, 1957b (n. sp.). (*nom. nud.*).
- Textularia milletti* Cushman. Harrington, 1960.
- Textularia ninoi* Asano, 1939 (n. sp.). (*nom. nud.*).
- Textularia nipponica* Hada, 1957b (n. sp.). (*nom. nud.*).
- Textularia orbica* Lalicker and McCulloch. Chiji and Lopez, 1968.
- Textularia parvula* Cushman. Hada, 1931, p. 72-73, text-figs 25a, b ; 1957b : Asano, 1939 : Oinomikado and Stach, 1948 : Yoshida, 1954, p. 156, figs. 9a, b : Morishima, 1955 : Ujié and Kusukawa, 1969 : Matoba, 1975 ; 1976a, c.
- Textularia cf. parvula* Cushman. Kuwano, 1962, pl. 23, figs. 6-7.
- Textularia porrecta* Brady. Hanzawa, 1928 : Uchio, 1952.
- Textularia pseudogrammen* Chapman and Parr. Chiji and Lopez, 1968, p. 112, pl. 6, fig. 7.
- Textularia pseudorugosa* Lacroix. Hada, 1957b.

- Textularia pseudotrocha* Cushman. Hada, 1957b.
- Textularia pseudoturris* Cushman. Hada, 1957b.
- Textularia quadrilatera* Schwager. Yabe and Hanzawa, 1925 : Hanzawa, 1928. (*Bolivinita*).
- Textularia rugosa* (Reuss). Hanzawa, 1928 : Hada, 1957b. (**Plecanium*).
- Textularia sagittula* Defrance. Hanzawa, 1928 ; 1948 : Asano, 1938 : Morishima, 1955.
- Textularia sagittula atrata* Cushman. Uchio, 1962a.
- Textularia sagittula* var. *fistulosa* Brady. Hanzawa, 1928 : Hada, 1957b.
- Textularia sandiegoensis* Uchio. Ikeya, 1971b.
- Textularia satoi* Uchio, 1962b (n. sp.), p. 385-386, pl. 18, figs. 1a, b, 2a, b : Matoba, 1975.
- Textularia (Siphotextularia) saulcyana* d'Orbigny. Takayanagi, 1955 : Sawai, 1958.
- Textularia schencki* Cushman and Valentine. Hada, 1957b.
- Textularia secasensis* Lalicker and McCulloch. Takayanagi, 1953b : Nakaseko, 1953 : Shuto, 1953 ; 1965 : Higuchi, 1954 : Chiji and Lopez, 1968, p. 112, pl. 6, figs. 6a, b : Tai, 1971 : Kato, 1979.
- Textularia semialata* Cushman. Asano, 1939 : Higuchi, 1954 : Shuto, 1965 : Ikeya, 1970 ; 1971b : Matoba, 1975 ; 1976c.
- Textularia siphonifera* d'Orbigny. Hanzawa, 1928 : Shuto, 1953.
- Textularia stricta* Cushman. Hanzawa, 1948 : Hada, 1957b : Sawai, 1958.
- Textularia subplana* Cushman. Hada, 1957b.
- Textularia tenuissima* Earland. Kuwano, 1962, pl. 23, fig. 8.
- Textularia torquata* Hada, 1957b (n. sp.) : Ikeya, 1970 ; 1971b.
- Textularia transversaria* Brady. Shuto, 1965.
- Textularia trochus* d'Orbigny. Hanzawa, 1928 : Hada, 1957b : Shuto, 1953.
- Textularia vertebralis* Cushman. Hada, 1957b : Ishiwada, 1964, p. 34, pl. 1, fig. 9.
- Textularia vola* Lalicker and McCulloch. Chiji and Lopez, 1968.
- Textularia wakasaensis* Asano, 1939 (n. sp.). (*nom. nud.*).
- Thalmannammina parkerae* (Uchio). Chiji and Konda, 1970 : Matoba and Nakagawa, 1972 : Matoba, 1975 ; 1976a, b : Inoue, 1980. (**Recurvoides*).
- Tholosina vesicularis* (Brady). Hada, 1957b. (**Placopsilina*).
- Thurammina papillata* Brady. Hanzawa, 1928 : Hada, 1957b.
- Tiphotrocha kelletiae* (Thalmann). Matoba, 1970, p. 61, pl. 1, figs. 19a-c ; 1976a : Ikeya, 1977. (**Trochammina*).
- Tolyphammina vagans* Brady. Hanzawa, 1928.
- Tosaia hanzawai* Takayanagi. Aoshima, 1978.
- Tretomphalus bulloides* (d'Orbigny). Hanzawa, 1928 : Uchio, 1968.
- "*Tretomphalus*" *planus* Cushman. Aoki, 1967.
- Trifarina angulosa* (Williamson). Chiji and Konda, 1970, pl. 9, fig. 7. (**Angulogerina*).
- Trifarina bradyi* Cushman. Yabe and Hanzawa, 1925 : Hanzawa, 1928 : Asano, 1937b ; 1958, p. 40-41, pl. 7, figs. 7, 8 : Kuwano, 1962 : Aoki, 1967 : Matoba, 1976a : Aoshima, 1978.
- Trifarina hughesi* (Galloway and Wissler). Ikeya, 1970. (**Uvigerina*, *Angulogerina*).
- Trifarina kokozuraensis* (Asano). Ikeya, 1970 ; 1971b : Aoshima, 1978 : Hasegawa, 1979 : Inoue, 1980, pl. 26, figs. 15a, b, pl. 27, fig. 17. (**Angulogerina*).
- Triloculina affinis* d'Orbigny. Uchio, 1968 : Chiji and Lopez, 1968, p. 112, pl. 7, figs. 10a, b.
- Triloculina bertheliniana* (Brady). Uchio, 1950 ; 1962a, 1968 : Shuto, 1953 : Chiji and Lopez, 1968. (**Miliolina*).

- Triloculina brevidentata* Cushman. Matoba, 1970, p. 61.
- Triloculina circularis* Bornemann. Hanzawa, 1928; 1948: Hada, 1931, p. 87, text-figs. 40 a-c; 1937; 1939: Asano, 1937a; 1938; 1939: Shuto, 1953: Morishima, 1955. [*Miliolina*, *Miliolinella*].
- Triloculina circularis sublineata* (Brady). Asano, 1939. [**Miliolina*, *Miliolinella*].
- Triloculina circularis* Bornemann var. *sublineata* Brady. Hada, 1929. [**Miliolina*, *Miliolinella*].
- Triloculina cuneata* Karrer. Shuto, 1965.
- Triloculina irregularis* (d'Orbigny). Uchio, 1952; 1962a; 1968: Chiji and Lopez, 1968. [**Quinqueloculina*].
- Triloculina laevigata* d'Orbigny. Shuto, 1953: Kuwano, 1953: Takayanagi, 1955: Sawai, 1955; 1958: Morishima, 1955: Matoba, 1970, p. 61, pl. 2, figs. 21a, b; 1975; 1976c: Ikeya, 1971b.
- Triloculina linnaeana* d'Orbigny. Uchio, 1952.
- Triloculina oblonga* (Montagu). Yabe and Hanzawa, 1925: Hanzawa, 1928; 1948: Hada, 1929; 1936; 1957b: Asano, 1937a, p. 15, figs. 7a-c; 1938: Oinomikado and Stach, 1948: Shuto, 1953: Morishima, 1955: Sawai, 1958; Chiji and Lopez, 1968, p. 112, pl. 8, figs. 1a, b. [**Vermiculum*, *Miliolinella*].
- "*Triloculina oblonga* (Montagu)". Ishiwada, 1958.
- Triloculina planciana* d'Orbigny. Chiji and Lopez, 1968, p. 112, pl. 7, figs. 13a, b.
- Triloculina rotunda* d'Orbigny. Shuto, 1953; 1965: Takayanagi, 1953b; 1955: Matoba, 1970, p. 61, pl. 2, figs. 22a, b; 1975; 1976c: Tai, 1971: Kato, 1979.
- Triloculina striatotrigonula* Parker and Jones. Uchio, 1962a; 1968.
- Triloculina subangularis*, (? *Quinqueloculina subangulata* Roemer). Chiji and Lopez, 1968.
- Triloculina suborbicularis* d'Orbigny. Matoba, 1975; 1976c.
- Triloculina suttensis* Asano. Ikeya, 1971b.
- Triloculina terquemiana* (Brady). Hada, 1929; 1931, p. 88, text-figs. 4a, b: Asano, 1937a; 1956b, p. 76, pl. 8, fig. 7: Oinomikado and Stach, 1948: Shuto, 1953; 1965: Harrington, 1960: Uchio, 1962a; 1968: Aoki, 1967: Matoba, 1970, p. 61, pl. 3, figs. 1a, b; 1975; 1976c. [**Miliolina*].
- Triloculina cf. terquemiana* (Brady). Matoba, 1970, p. 62, pl. 3, figs. 2a, b: Kato, 1979.
- Triloculina transversestriata* (Brady). Hada, 1929. [**Miliolina*].
- Triloculina tricarinata* d'Orbigny. Yabe and Hanzawa, 1925: Hanzawa, 1928: Hada, 1931, p. 86-87, text-figs. 39a, b: Asano, 1937a, b; 1938; 1939; 1956b, p. 73-75, pl. 8, fig. 6: Oinomikado and Stach, 1948: Uchio, 1950; 1962a; 1968: Fukuta, 1951: Shuto, 1953; 1965: Takayanagi, 1953b; 1955: Higuchi, 1954: Morishima, 1955: Aoki, 1967: Chiji and Lopez, 1968, p. 113, pl. 7, figs. 11a, b: Ikeya, 1971b: Matoba, 1975; 1976a, c: Aoshima, 1978: Kato, 1979: Inoue, 1980.
- Triloculina tricarinata* d'Orbigny var. *convexa* Cushman. Harrington, 1960.
- Triloculina trigonula* (Lamarck). Yabe and Hanzawa, 1925: Hanzawa, 1928: Hada, 1929; 1931, p. 85-86, text-figs. 38a, b; 1939: Asano, 1937a, pl. 15, figs. 5a, b; 1937b; 1938; 1939; 1956b, p. 75, pl. 8, fig. 5: Oinomikado and Stach, 1948: Morishima, 1948b; 1950; 1955: Fukuta, 1951: Uchio, 1952; 1962a: Shuto, 1953; 1965: Higuchi, 1954: Takayanagi, 1955, pl. 1, fig. 14: Ishiwada, 1958: Harrington, 1960: Aoki, 1967: Chiji and Lopez, 1968, p. 113, pl. 7, figs. 12a, b: Ujiié and Kusukawa, 1969: Matoba, 1970, p. 62, pl. 3, figs. 3a, b; 1975; 1976c: Tai, 1971: Ikeya, 1977: Aoshima, 1978: Kato, 1979.

[**Miliolites*].

- Triloculina* sp. Asano, 1956b, p. 76, pl. 8, fig. 11.
- Triloculina* sp. Matoba, 1970, p. 62, pl. 3, figs. 4a, b.
- Trimosina orientalis* Cushman. Uchio, 1962a.
- Trimosina otukai* Uchio. Uchio, 1962a.
- Tritaxia tricarinata* Reuss. Yabe and Hanzawa, 1925.
- Trochammina bradyi* Robertson. Kuwano, 1953. (*Haplophragmoides*).
- Trochammina charlottensis* Cushman. Uchio, 1959; Chiji and Konda, 1970; Ikeya, 1970: Matoba, 1975; 1976a, c.
- Trochammina charlottensis* Cushman var. Kuwano, 1962, pl. 24, figs. 1, 2.
- Trochammina chifinosa* Uchio. Ikeya, 1970.
- Trochammina discorbis* Earland. Takayanagi, 1953b; Matoba, 1970, p. 62; Chiji and Konda, 1970: Aoshima, 1978.
- Trochammina globigeriniformis* (Parker and Jones). Hanzawa, 1928; Hada, 1929; 1931, p. 91–92, text-figs. 44a–c; 1936; 1939; 1957b: Asano, 1939; Morishima, 1947; 1948a, b; 1950; Oinomikado and Stach, 1948; Morishima and Chiji, 1952, pl. 7, figs. 11a–c; Yoshida, 1953a, b; Nakaseko, 1953; Takayanagi, 1955, p. 42, pl. 1, figs. 17a–c; Sawai, 1955; 1958; Ishiwada, 1958, pl. 1, figs. 13, 14; Kuwano, 1962, pl. 24, fig. 3; 1963; Chiji and Lopez, 1968, p. 113, pl. 7, figs. 3a, b; Ujiié and Kusukawa, 1969; Chiji and Konda, 1970, pl. 7, figs. 6a, b; Matoba and Nakagawa, 1972; Matoba, 1975; 1976a, b, c; Ikeya, 1977; Aoshima, 1978. (=*Lituola nautiloidea* var. *globigeriniformis* Parker and Jones).
- Trochammina globigeriniformis* Parker and Jones var. A. Kuwano, 1962, pl. 24, fig. 4.
- Trochammina globigeriniformis* Parker and Jones var. B. Kuwano, 1962, pl. 24, fig. 5.
- Trochammina hadai* Uchio, 1962b (n. sp.), p. 387–388, pl. 18, figs. 9a–c; Matoba, 1970, p. 62, pl. 1, figs. 14a–c, 15a–c; Ikeya, 1977.
- Trochammina inconspicua* Earland. Matoba, 1976b.
- Trochammina inflata* (Montagu). Hada, 1931, p. 90–91, text-figs. 43a, b; 1957b: Asano, 1938; Oinomikado and Stach, 1948; Ishiwada, 1950; Kuwano, 1953; Nakaseko, 1953; Shuto, 1953; Takayanagi, 1953b; 1955, p. 42, pl. 1, figs. 19a–c; Sawai, 1955; 1958; Morishima, 1955; Chiji and Lopez, 1968, p. 113, pl. 7, figs. 1a, b; Ikeya, 1970; Matoba, 1970, p. 62; Chiji and Konda, 1970; Tai, 1971. [**Nautilus*].
- Trochammina japonica* Ishiwada, 1950 (n. sp.), p. 190–191, figs. 2a–c; 1964, p. 36, pl. 2, figs. 19a–c; Yoshida, 1954, p. 156, figs. 1a–c; Matsuda, 1957; Chiji and Konda, 1970, pl. 7, figs. 7a, b; Ikeya, 1971b; Matoba and Nakagawa, 1972; Matoba, 1976a; Aoshima, 1978; Hasegawa, 1979; Inoue, 1980, pl. 26, figs. 4a–c.
- Trochammina cf. japonica* Ishiwada. Matoba, 1970, p. 62, pl. 1, figs. 16a–c, 17a–c.
- Trochammina kelletiae* Thalmann. Takayanagi, 1955; Ikeya, 1970; 1971; Matoba, 1975; 1976b, c. [*Tiphotrecha*].
- Trochammina nana* (Brady). Morishima, 1947; 1948a; 1955; Chiji and Lopez, 1968; Ikeya, 1970; 1971b. (**Haplophragmium*).
- Trochammina cf. nana* (Brady). Takayanagi, 1955, p. 42, pl. 1, figs. 20a, b.
- Trochammina nitida* Brady. Hada, 1936, p. 855, figs. 11a, c; 1957b; Yoshida, 1953b; Matoba, 1976a, c; Aoshima, 1978.
- Trochammina pacifica* Cushman. Takayanagi, 1955; Uchio, 1959; Ishiwada, 1964, pl. 2, figs. 20, 21; Matoba, 1970, p. 62, pl. 1, figs. 18a–c; 1975; 1976a, c; Chiji and Konda,

- 1970: Ikeya, 1970; 1977.
- Trochammina* cf. *pacifica* Cushman. Uchio, 1962a, b, p. 388, pl. 18, figs. 8a-c.
- Trochammina pacifica simplex* Cushman and McCulloch. Tekayanagi, 1953b: Chiji and Lopez, 1968, p. 113, pl. 7, figs. 2a, b: Chiji and Konda, 1970.
- Trochammina quadriloba* Höglund. Ikeya, 1970: Matoba, 1976b.
- Trochammina rotaliformis* Wright. Ikeya, 1970.
- Trochammina squamata* Jones and Parker. Hada, 1939; 1957b: Asano, 1939: Oinomikado and Stach, 1948: Morishima and Chiji, 1952: Takayanagi, 1953b: Sawai, 1958: Uchio, 1962a, b: Ujiié and Kusukawa, 1969.
- Trochammina squamata stellata*, (? *Trochammina stellata* Höglund). Uchio, 1959.
- Trochammina squamiformis* Cushman and McCulloch. Matoba, 1975; 1976c.
- Trochammina squamosa* Jones and Parker. Aoshima, 1978.
- Trochammina vesicularis* Goës. Kuwano, 1962, pl. 24, figs. 6, 7: Chiji and Konda, 1970, pl. 7, figs. 8a-c: Ikeya, 1970; 1971: Aoshima, 1978.
- Trochamminella atlantica* Parker. Ikeya, 1971b.
- Truncatulina akneriana* d'Orbigny. Hanzawa, 1928. (**Rotalina*, *Cibicides*).
- Truncatulina culter* (Parker and Jones). Yabe and Hanzawa, 1925. (= *Planorbolina farcta* (Fichtel and Moll) ver. *ungeriana* d'Orbigny subvar. *culter* Parker and Jones). (*Parrella*).
- Truncatulina dutemplei* d'Orbigny. Hanzawa, 1928. (**Rotalina*).
- Truncatulina lobatula* (Walker and Jacob). Yabe and Hanzawa, 1925: Hanzawa, 1928: Hada, 1929. (**Nautilus*, *Cibicides*).
- Truncatulina margaritifera* Brady. Ikari, 1927, p. 6, pl. 2, figs. 13a, b. (*Cibicides*).
- Truncatulina praecincta* Karrer. Hanzawa, 1928. (**Rotalia*, *Cibicides*, *Eponides*).
- Truncatulina refulgens* (Montfort). Hanzawa, 1928. (**Cibicides*).
- Truncatulina robertsonia* Brady. Yabe and Hanzawa, 1925: Hanzawa, 1928. (*Cibicides*).
- Truncatulina tenera* Brady. Yabe and Hanzawa, 1925: Hanzawa, 1928. (*Eponides*).
- Truncatulina ungeriana* (d'Orbigny). Yabe and Hanzawa, 1925: Hanzawa, 1928. (**Rotalina*, *Cibicides*).
- Truncatulina wuellerstorffi* (Schwager). Yabe and Hanzawa, 1925: Hanzawa, 1928. (**Anomalina*, *Planulina*).
- Turrispirillina arctica* (Cushman). Ikeya, 1970. (**Spirillina*).
- Turritellella shoneana* (Siddall). Ikeya, 1970. (**Trochammina*).
- Uvigerina aculeata* d'Orbigny. Hanzawa, 1928: Asano, 1958, p. 33, pl. 6, figs. 3, 4.
- Uvigerina akitaensis* Asano. Kuwano, 1953; 1963: Matsuda, 1957: Asano, 1958, p. 33-34, pl. 6, figs. 9-13: Ishiwada, 1964, p. 40, pl. 5, fig. 70: Ikeya, 1970: Matoba and Nakagawa, 1972: Matoba, 1975; 1976a, b; Aoshima, 1978: Hasegawa, 1979: Inoue, 1980, pl. 27, fig. 14.
- Uvigerina ampullacea* Williamson. Yabe and Hanzawa, 1925.
- Uvigerina angulosa* d'Orbigny. Yabe and Hanzawa, 1925.
- Uvigerina asanoi* Kuwano, 1962 (n. sp.), p. 24, fig. 11; 1963. (*nom. nud.*).
- Uvigerina asperula* Čžžek. Yabe and Hanzawa, 1925: Hanzawa, 1928.
- Uvigerina auberiana* var. *glabra* Millett. Sawai, 1955.
- Uvigerina brunnensis* Karrer. Hanzawa, 1928.
- Uvigerina canariensis* d'Orbigny. Hada, 1937.
- Uvigerina cushmani* Todd. Uchio, 1959: Harrington, 1960.

- Uvigerina excellens* Todd. Kuwano, 1953; Nagahama, 1954; Takayanagi, 1955; Sawai, 1958.
- Uvigerina farinosa* Hantken. Asano, 1937b; Sawai, 1958.
- Uvigerina hootsi* Rankin. Takayanagi, 1955.
- Uvigerina interrupta* Brady. Hanzawa, 1928.
- Uvigerina mediterranea* Hofker. Asano, 1937b; 1939.
- Uvigerina nitidula* Schwager. Takayanagi, 1955; Ishiwada, 1964, pl. 5, fig. 71.
- Uvigerina peregrina* Cushman. Ishiwada, 1950.
- Uvigerina peregrina bradyana* Cushman. Matoba, 1976c.
- Uvigerina peregrina dirupta* Todd. Ishiwada, 1964, p. 40-41, pl. 5, figs. 72-75; Ikeya, 1971 b; Inoue, 1980.
- Uvigerina peregrina shioensis* Asano, 1958 (n. subsp.), p. 35, pl. 6, figs. 5-8; Ishiwada, 1964, pl. 5, figs. 76.
- Uvigerina porrecta* Brady. Asano, 1939; Uchio, 1952. (*Neouvigerina*, *Siphouvigerina*).
- Uvigerina proboscidea* Schwager. Shuto, 1953; Higuchi, 1954; Nagahama, 1954; Asano, 1958, p. 35-36, pl. 6, figs. 14-16; Sawai, 1958; Kuwano, 1962, pl. 24, fig. 8; Ishiwada, 1964, pl. 5, fig. 77; Chiji and Lopez, 1968, p. 113, pl. 10, figs. 20, 21; Aoshima, 1978.
- Uvigerina proboscidea vadescens* Cushman. Kuwano, 1962, pl. 24, fig. 9; Ishiwada, 1964, p. 41, pl. 5, fig. 78; Aoshima, 1978.
- Uvigerina pseudoampullacea* Asano. Ishiwada, 1950; Asano, 1958, p. 37, pl. 7, figs. 1, 2; Aoshima, 1978.
- Uvigerina pygmaea* d'Orbigny. Hanzawa, 1933; 1934; Asano, 1939; Harrington, 1960.
- Uvigerina schencki* Asano. Asano, 1958, p. 37-38, pl. 6, figs. 17, 18; Kuwano, 1962, pl. 24, figs. 12, 13; 1963; Ishiwada, 1964, pl. 5, fig. 79; Aoshima, 1978.
- Uvigerina schwageri* Brady. Asano, 1937b; 1958, p. 38, pl. 6, figs. 1, 2; Ishiwada, 1964, pl. 5, fig. 80; Aoshima, 1980.
- Uvigerina cf. segundoensis* Cushman and Galliher. Kuwano, 1962, pl. 24, fig. 10; 1963.
- Uvigerina selcyensis* Heron-Allen and Earland. Yabe and Hanzawa, 1925; Hanzawa, 1928.
- Uvigerina shiwoensis* Asano. Aoshima, 1978. (= *Uvigerina peregrina shiwoensis* Asano).
- Uvigerina striata* d'Orbigny. Yabe and Hanzawa, 1925.
- Uvigerina tenuistriata* Reuss. Ikari, 1927, p. 5, pl. 2, fig. 4; Hada, 1929; Asano, 1937b; 1939; Ishiwada, 1950; Morishima, 1955; Sawai, 1958.
- Uvigerina* sp. Asano, 1958, p. 39, pl. 7, fig. 3.
- Uvigerinella glabra* (Millett). Matoba, 1970, p. 62-63, pl. 3, figs. 35a, b; 1975; 1976a, b. (= *Uvigerina auberiana* var. *glabra* Millett).
- Uvigerinella quadrata* Iwasa. Ikeya, 1970.
- Uvigerina linealis* Montagu. Hanzawa, 1928. (**Nautilus*).
- Vaginulina spinigera* Brady. Hanzawa, 1928.
- Vaginulina tenuis* (Bornemann). Uchio, 1952. (**Marginulina*, *Vaginulinopsis*).
- Vaginulinopsis tenuis* (Bornemann). Uchio, 1968. (**Marginulina*, *Vaginulina*).
- Valvularineria hamanakoensis* (Ishiwada). Matoba, 1970, p. 63, pl. 4, figs. 12a-c, 13a-c. (**Anomalina*).
- Valvularineria oviedoiana* d'Orbigny. Hada, 1957b.
- Valvularineria sadonica* Asano. Kuwano, 1953; Takayanagi, 1955; Ikeya, 1970; 1971; Matoba, 1975; 1976c; Inoue, 1980.
- Verneuilina advena* (Cushman). Sawai, 1955; 1958; Hada, 1957b. (*Eggerella*).

- Verneuilina bradyi* Cushman. Yabe and Hanzawa, 1925; Hanzawa, 1928. [*Gaudryina*, *Karreriella*].
- Verneuilina chiji* Kuwano, 1962 (n. sp.), pl. 24, figs. 14, 15. (*nom. nud.*).
- Verneuilina cf. media* Höglund. Kuwano, 1962, pl. 24, figs. 18; 1963.
- Verneuilina polystropha* (Reuss). Hada, 1929; 1931, p. 74-75, text-figs. 27a, b; 1936: Yoshida, 1954, p. 156, figs. 6a, b: Sawai, 1958. [**Bulimina*].
- Verneuilina propinqua* (Brady). Morishima, 1947; 1948a. (*Eggerella*).
- Verneuilina scabra* (Williamson). Hada, 1957b. [**Bulimina*, *Eggerella*].
- Verneuilina spinulosa* Reuss. Hanzawa, 1928: Hada, 1929. [*Reussia*, *Reussella*].
- Verneuilina takayanagii* Kuwano, 1962 (n. sp.), pl. 24, fig. 17. (*nom. nud.*).
- Verneuilina* sp. 1. Kuwano, 1962, pl. 24, fig. 16.
- Vertebralina striata* d'Orbigny. Hanzawa, 1928; Hada, 1929: Asano, 1937b; 1956b, p. 81-82, pl. 9, fig. 19: Oinomikado and Stach, 1948: Morishima, 1948b; 1950: Shuto, 1953; 1965: Uchio, 1962a; 1968: Aoki, 1967: Chiji and Lopez, 1968, p. 113, pl. 7, fig. 8: Matoba, 1975; 1976c: Aoshima, 1978: Kato, 1979.
- Virgulina bradyi* Cushman. Sawai, 1958.
- Virgulina complanata* Egger. Ishiwada, 1950: Takayanagi, 1953b: Asano, 1958, p. 14, pl. 3, fig. 8. (*Fursenkoina*).
- Virgulina ishikiensis* Asano. Shuto, 1953. (*Fursenkoina*).
- Virgulina mexicana* Cushman. Asano, 1958, p. 14-15, pl. 4, figs. 1a, b, 2a, b: Ishiwada, 1964, p. 39-40, pl. 4, fig. 58: Ikeya, 1971. (*Fursenkoina*).
- Virgulina pauciloculata* Brady. Takayanagi, 1953b: Ishiwada, 1964, pl. 4, fig. 59. (*Fursenkoina*).
- Virgulina sandiegoensis* Uchio. Ikeya, 1971b.
- Virgulina schreibersiana* Czjzek. Hada, 1931, p. 130-131, text-fig. 87: Asano, 1937b; 1958, p. 15-16, text-figs. 1-4: Takayanagi, 1953b: Sawai, 1958. (*Fursenkoina*).
- Virgulina subsquamosa* Egger. Asano, 1937b.
- Virgulina* sp. A. Ishiwada, 1964, pl. 4, fig. 60.
- Webbinella hemisphaerica* (Jones, Parker and Brady). Kuwano, 1953. (= *Trochammina* (*Webbina*) *irregularis hemisphaerica* Jones, Parker and Brady).
- Wiesnerella auriculata* (Egger). Chiji and Lopez, 1968, p. 113, pl. 7, fig. 6: Ujié and Kusukawa, 1969: Matoba, 1970, p. 63, pl. 2, figs. 2a, b. [**Planispirina*].

BIBLIOGRAPHY

- Aoki, N., 1964, Notes on the foraminiferal genus *Pseudocibicidoides*. *Trans. Proc. Paleont. Soc. Japan, N. S.*, no. 54, p. 195-200, pl. 29.
- , 1967, Recent foraminifera from Nabeta, Shimoda, Izu Peninsula. *Prof. H. Shibata Mem. Vol.*, p. 378-382, pl. 1.
- Aoshima, M., 1978, Depositional environment of the Plio-Pleistocene Kakegawa Group, Japan: A comparative study of the fossil and the Recent foraminifera. *Jour. Fac. Sci., Univ. Tokyo, sec. II*, v. 19, no. 3, p. 401-441, 25 figs., 7 tabs.
- Asano, K., 1936a, *Rotalidium*, a new genus of foraminifera from the Pacific. *Proc. Imp. Acad. Tokyo*, v. 12, p. 350-351, 3 text-figs.
- , 1936b, New species of foraminifera from Aki-gun, Tosa Province, Japan, *Geol. Soc. Japan, Jour.*, v. 43, no. 519, p. 942-946, pls. 51-52.

- , 1937a, Foraminifera from Siogama Bay, Miyagi Prefecture, Japan. *Saito Ho-on Kai Mus. Res. Bull.*, no. 13, p. 109-119, pls. 15-16.
- , 1937b, [Comparative studies between Recent foraminifera of Tosa Bay and Pliocene foraminifera of Aki-gun, Tosa Province]. *Geol. Soc. Japan, Jour.*, v. 44, no. 520, p. 36-55, 1 text-fig. (in Japanese).
- , 1939, [Report on the Recent foraminifera from the Onagawa Bay]. *Botany and Zoology*, v. 6, no. 7, p. 83-90. (in Japanese).
- , 1939, Report on the Recent foraminifera from the Urashima Bank, Wakasa Bay. *Botany and Zoology*, v. 7, no. 10, p. 39-45, 4 text-figs. (in Japanese).
- , 1956a, The foraminifera from the adjacent seas of Japan, collected by the S. S. Soyo-maru, 1922-1930: Pt. 1, Nodosariidas. *Tohoku Univ., Sci. Rep., 2nd ser. (Geol.)*, v. 27, p. 1-55, 1 tab., pls. 1-6.
- , 1956b, The foraminifera from the adjacent seas of Japan, collected by the S. S. Soyo-maru, 1922-1930: Pt. 2, Miliolidae. *Ibid.*, v. 27, p. 57-83, pls. 7-9.
- , 1958, The foraminifera from the adjacent seas of Japan, collected by the S. S. Soyo-maru, 1922-1930: Pt. 4, Buliminidae. *Ibid.*, v. 29, p. 1-41, pls. 1-7.
- , 1960. The foraminifera from the adjacent seas of Japan, collected by the S. S. Soyo-maru, 1922-1930: Pt. 5, Nonionidae. *Ibid., Spec. Vol.*, no. 4, p. 189-201, pls. 21-22.
- Brady, H. B., 1884, Report on the foraminifera dredged by H. M. S. "Challenger" during the years 1873-1876. *Rept. Scientific Results Explor. Voyage H. M. S. Challenger, Zoology*, v. 9, p. 1-814, pls. 1-115.
- Chiji, M. and Konda, I., 1970, Depth distribution of foraminiferal assemblages in the bottom sediments around Okushiri Island, north Japan Sea. *Osaka Mus. Nat. Hist., Bull.*, no. 23, p. 35-50, 3 text-figs., 4 tabs., pls. 7-10. (in Japanese with English abstract).
- , and Lopez, S. M., 1968, Regional foraminiferal assemblages in Tanabe Bay, Kii Peninsula, central Japan. *Seto Mar. Biol. Lab., Publ.*, v. 16, no. 2, p. 85-125, 8 text-figs., 3 tabs., pls. 6-16.
- Cushman, J. A., 1927, An outline of a re-classification of the Foraminifera. *Cushman Lad. Foram. Res., Contr.*, v. 3, pt. 1, p. 1-105, pls. 1-21.
- , 1948, Foraminifera: Their classification and economic use. p. 1-478, pls. 1-55, Harvard Univ. Press. Massachusetts.
- , and Ozawa, Y., 1929, Some species of fossil and Recent Polymorphinidae found in Japan. *Japan. Jour. Geol. Geogr.*, v. 6, nos. 3-4, p. 63-77, pls. 13-16.
- , and —, 1930, A monograph of the foraminiferal family Polymorphinidae, Recent and fossil. *Proc. U. S. Nat. Mus.*, v. 77, Art. 6, p. 1-185, 2 text-figs., pls. 1-40.
- Fukuta, O., 1951, On the Recent foraminiferal fauna from the coast of Hayama, Kanagawa Pref. Japan. *Chigaku Kenkyu (Geoscience Magazine)*, Kyoto, v. 4, nos. 1-2, p. 14-16.
- Galloway, L. L., 1933, A manual of Foraminifera. p. 1-483, Princia Press. Indiana.
- Hada, Y., 1929, A contribution to the study on the plankton and the allied protozoa in the northern waters of Japan: I, a list of the littoral foraminifera of Hokkaido. *Sapporo Nat. Hist. Soc., Trans.*, v. 11, pt. 1, p. 9-16, a-d text-figs. (with Japanese abstract).
- , 1931, Report of the biological survey of Mutsu Bay: 19, notes on the Recent foraminifera from Mutsu Bay. *Tohoku Imp. Univ., Sci. Rept., 4th ser. (Biol.)*, v. 6, no.

- 3, p. 45-148, 95 text-figs.
- , 1936a, Some new monothalamous foraminifera from northern Japanese waters. *Sapporo Nat. Hist. Soc., Trans.*, v. 14, pt. 4, p. 242-245, 5 text-figs.
- , 1936b, Studies on the foraminifera of brackish waters: I, Hijirippu and Mochirippu Lakes. *Zool. Mag.*, v. 48, nos. 8-10, p. 847-860, 12 text-figs, (in Japanese with English abstract).
- , 1937, Studies on the foraminifera of brackish waters: II, Hachiro-gata; III, Koyama-iike. *Ibid.*, v. 49, no. 10, p. 341-347, 7 text-figs., 2 tabs. (in Japanese with English abstract).
- , 1939, [Studies on the foraminifera of brackish waters: IV, the foraminifera of Nakanoumi]. *Ibid.*, v. 51, no. 3, p. 135-140, 1 text-fig., 5 tabs. (in Japanese).
- , 1955, Studies on the foraminifera of brackish waters: V, the foraminifera from some lagoons in the region of Hokuriku. *Biogeogr. Soc. Japan, Bull.*, vols. 16-19, p. 1-6, 4 tabs. (in Japanese with English abstract).
- , 1957a, New forms of the foraminifera from the northwest Pacific, I. *Hokkaido Univ. Fac. Sci., Jour., ser. VI, Zool.*, v. 13, nos. 1-4, p. 24-31, 10 text-figs.
- , 1957b, Biology of the arenaceous foraminifera. *Suzugamine Women's Junior Coll., Jour. Sci.*, v. 4, B, p. 31-50, 3 text-figs., 15 tabs.
- Hanzawa, S., 1928, Preliminary report on marine deposits from the southwestern North Pacific Ocean. *Rec. Oceanogr. Works in Japan*. v. 1, no. 2, p. 59-77, pls. 16-21.
- , 1933, List of foraminifera in H. Niino's "On soundings from Yamato-tai in the Sea of Japan." *Geol. Soc. Japan, Jour.*, v. 40, no. 437, p. 97.
- , 1934, List of foraminifera in H. Niino's "*Thyasira bisecta* Conrad from the bottom of Korea Strait". *Ibid.*, v. 41, no. 487, p. 179.
- , 1948, A comparative study of the fossil foraminiferal fauna of the Ryukyu Lime-stone and the Recent fauna of the Ryukyu Islands. *Nat. Res. Council, Comm. Mar. Ecol. Paleoecol.*, Washington, *Rept.*, no. 8, p. 77-88.
- Harrington, G. L., 1960, A Recent foraminiferal faunule from Honshu, Japan. *Tohoku Univ., Sci. Rept., 2nd ser. (Geol.)*, Spec. Vol., no. 4, p. 45-55, 1 text-fig.
- Hasegawa, S., 1979, Foraminifera of the Himi Group, Hokuriku Province, central Japan. *Tohoku Univ., Sci. Rept., 2nd ser. (Geol.)*, v. 49, no. 2, p. 89-163, 33 figs., 8 tabs., pls. 3-10.
- , and Takayanagi, Y., 1981, Notes on Homotrematid foraminifera from Toyama Bay, central Japan. *Tohoku Univ., Sci. Rept., 2nd ser. (Geol.)*, v. 51, nos. 1-2, 7 figs., 2 tabs., pls. 16-19.
- Higuchi, Y., 1954, Fossil foraminifera from the Miyata Formation, Miura Peninsula, Kanagawa Prefecture. *Geol. Soc. Japan, Jour.*, v. 60, no. 703, p. 138-144, 3 tabs., pl. 3. (in Japanese with English abstract).
- Ikari, J., 1927, A list of foraminifera found in the bottomsand, which was collected at Misaki. *The Suisangaku Zasshi*, Sapporo, no. 30, p. 1-8, pls. 1-2.
- Ikeya, N., 1970, Population ecology of benthonic foraminifera in Ishikari Bay, Hokkaido, Japan. *Oceanogr. Works Japan, Rec.*, v. 10, no. 2, p. 173-191, 10 text-figs., 1 tab.
- , 1971a, Species diversity of benthonic foraminifera, off the Shimokita Peninsula, Pacific coast of north Japan. *Oceanogr. Works Japan, Rec.*, v. 11, no. 1, p. 27-37, 5 figs.
- , 1971b, Species diversity of Recent benthonic foraminifera off the Pacific coast of north Japan. *Shizuoka Univ., Fac. Sci., Rept.*, v. 6, p. 179-201, 7 figs., 1 tab.

- , 1977, Ecology of foraminifera in the Hamana Lake region on the Pacific coast of Japan. *Shizuoka Univ., Fac. Sci., Rept.*, v. 11, p. 131-159, 12 figs., 1 tab.
- Inoue, Y., 1980, Stratigraphic and paleoenvironmental considerations of Holocene to uppermost Pleistocene foraminifera in Nishi-Tsugaru Basin, Sea of Japan. *Prof. S. Kanno Mem. Vol.*, p. 241-261, 4 figs., 2 tabs., pls. 26-28.
- Ishiwada, Y., 1950, Foramiferal death assemblages from the mouth of Toyama Bay: Studies on Recent marine sediments, no. 1. *Geol. Surv. Japan, Bull.*, v. 1, no. 4, p. 182-194, 8 text-figs., 3 tabs., pl. 1. (in Japanese with English abstract).
- , 1951, Miscellaneous notes on the application of the fossil smaller foraminifera to the Japanese oil and gas field exploration. *Japan. Assoc. Petrol. Technol., Jour.*, v. 16, no. 6, p. 335-348, 1 tab. (in Japanese with English abstract).
- , 1954, [Distribution of foraminiferal death assemblages in the sea east of Honshu]. *Yukochu (Foraminifera)*, no. 2, p. 1-4, 1 tab. (in Japanese).
- , 1958, Studies on the brackish water: III, Recent foraminifera from the brackish lake Hamana-ko. *Geol. Surv. Japan, Rept.*, no. 180, p. 1-19, 13 text-figs., 2 tabs., pls. 1-2. (in Japanese with English abstract).
- , 1964, Benthonic foraminifera off the Pacific coast of Japan referred to biostratigraphy of the Kazusa Group. *Geol. Surv. Japan, Rept.*, no. 205, p. 1-45, 19 text-figs., 6 tabs., pls. 1-8. (with Japanese abstract).
- Ishizaki, K., 1939-1940, A list of Japanese Neogene, Pleistocene and Recent foraminifera, excluding Orbitoididae, recorded up to 1938. *Taiwan Tigaku Kiji (Geol. Notes of Formosa)*, vols. 10-11, p. 1-112.
- Iwasa, S., 1954, [Vertical faunal changes of foraminifera in the bottom sediments of Hachiro-gata]. *Yukochu (Foraminifera)*, no. 3, p. 1-15, 4 text-figs. (in Japanese).
- Kato, M., 1979, A preliminary study on distribution of the Recent foraminifera in the Seto Inland Sea (Seto-Naikai). *Hiroshima Univ., Fac. Intergrated Arts and Sci., Mem., ser. IV*, v. 4, p. 1-14, 1 text-fig., 1 tab. (with Japanese abstract).
- Kuwano, Y., 1953, Studies on the Recent foraminifera from the sea around Japan I: Foraminiferal thanatocoenoses in the southern part of the Okhotsk Sea (1). *Res. Inst. Nat. Res., Misc. Rept.*, no. 32, p. 71-83, 3 text-figs., 1 tab.
- , 1954, Studies on the Recent foraminifera from the sea around Japan I: Foraminiferal thanatocoenoses in the southern part of the Okhotsk Sea (2). *Ibid.*, no. 33, p. 56-67, 6 text-figs. (in Japanese).
- , 1956, Invertebrate fauna of the intertidal zone of the Tokara Islands: XII, Foraminifera. *Seto Mar. Biol. Lab., Publ.*, v. 5, no. 2, p. 273-282, 1 text-fig., pls. 28-30.
- , 1962, Foraminiferal biocoenoses of the seas around Japan: A survey of Pacific-side biocoenoses. *Res. Inst. Nat. Res., Misc. Rept.*, no. 58-59, p. 116-138, text-figs., 1-10, tabs. 1-6, pls. 14-24.
- , 1963, Foraminiferal biocoenoses of the seas around Japan: A survey of Pacific side biocoenoses. *Ibid.*, no. 60, p. 29-51, text-figs. 12-15, tabs. 7-14.
- , and Foraminifera Research Group of Tokyo Bay Complex Research, 1957, (Foraminifera assemblages around Tokyo Bay). *Taisekigaku Kenkyu (Sedimentological Research)*, no. 15, p. 1-5, 1 tab. (in Japanese).
- Loeblich, A. R., Jr. and Tappan, H., 1964, Sarcodina, chiefly "Thecamoebians" and Foraminiferida. In Moore, R. C., Ed., Treatise on invertebrate paleontology, Pt. C, Protista 2, vols. 1-2, p. C1-C900, *Geol. Soc. Amer. and Univ. Kansas Press*.

- , and —, 1974, Recent advances in the classification of the Foraminiferida. In He-dley, R. H. and Adams, C. G., Ed., Foraminifera, v. 1, p. 1-53, Academic Press. London.
- Maruhashi, M., 1948, Foraminiferal fauna of the Tokyo Bay. *Res. Inst. Nat. Res., Misc. Rept.*, no. 12, p. 37-41, 5 text-figs. (in Japanese).
- Matoba, Y., 1970, Distribution of shallow water foraminifera of Matsushima Bay, Miyagi Prefecture, northeast Japan. *Tohoku Univ., Sci. Rept., 2nd ser. (Geol.)*, v. 38, no. 2, p. 221-263, pls. 25-30, 8 text-figs., 1 tab.
- , 1975, [Investigation of the effect of discharges by iron and steel industries for environmental assessment on health and life (II): Distribution of foraminifera off the southern coast of the Oga Peninsula]. Environmental Assessment Pannel on Large Industrial Development, p. 145-173, figs. 5-1—5-14c, tabs. 5-1—5-2. Akita Prefectural Government.
- , 1976a, Foraminifera from off Noshiro, Japan, and postmortem destruction of tests in the Japan Sea. In Takayanagi, Y. and Saito, T., Ed., Progress in Micropaleontology; Selected papers in honor of Prof. K. Asano, p. 168-189, 12 text-figs., 4 tabs., Micropaleontology Press. New York.
- , 1976b, Recent foraminiferal assemblages off Sendai, northeast Japan. *Maritime Sediments, Spec. Publ.*, no. 1, pt. A. *Ecol. and Biol.*, p. 205-220, 13 text-figs.
- , 1976c, [Distribution of foraminifera in the seas around the Oga Peninsula]. Environmental Assessment Pannel on Large Industrial Development, p. 182-216, figs. 3-1—3-45, tabs. 3-1—3-2. Akita Prefectural Government.
- , and Nakagawa, H., 1972, Recent foraminiferal assemblages from the continental shelf and slope off Akita, Japan Sea coast of northeast Japan. *Prof. J. Iwai Mem. Vol.*, Sendai, p. 657-671, 10 text-figs., 3 tabs. (in Japanese with English abstract).
- Matsuda, T., 1957, Bathyal sediments of Toyama Bay. *Geol. Soc. Japan, Jour.*, v. 63, no. 746, p. 619-635, 9 text-figs., 3 tabs. (in Japanese with English abstract).
- McCulloch, I., 1977, Quantitative observations on Recent foraminiferal tests, with emphasis on the eastern Pacific, pts. 1-3. p. 1-676, 12 tabs., pls. 49-248. Univ. Southern California, Los Angeles.
- Morishima, M., 1947, On the accumulation of foraminiferal tests in Obama and Maizuru Bays. *Seiri Seitai (Physiol. Ecol.)*, v. 2, nos. 3-4, p. 168-174, 2 text-figs., 3 tabs. (in Japanese with English abstract).
- , 1948a, The accumulation of foraminiferal tests in inlets of Wakasa Bay on the inland sea of Japan. *Nat. Res. Council, Comm. Mar. Ecol. Paleoecol.*, Washington, *Rept.*, no. 7, p. 89-91.
- , 1948b, Foraminiferal thanatocoenoses of Ago Bay, Kii Peninsula, Japan. *Ibid.*, no. 8, p. 111-117, 2 text-figs., 1 tab.
- , 1950, Studies on the pearl fishery ground of the Ago Bay IV: Accumulation of foraminiferal tests in the Ago Bay. *Kyoto Univ., Physiol., Ecol., Contr.*, no. 72, p. 62-66, 2 text-figs., 1 tab. (in Japanese).
- , 1955, Deposits of foraminiferal tests in the Tokyo Bay, Japan. *Univ. Kyoto Coll. Sci., Mem., ser. B*, v. 22, no. 2, p. 213-222, 1 text-fig., 2 tab.
- , and Chiji, M., 1952, Foraminiferal thanatocoenoses of Akkeshi Bay and its vicinity. *Ibid.*, v. 20, no. 2, p. 113-117, 3 text-figs., 1 tab., pls. 1-2 (12, 13).
- Nagahama, M., 1951, Studies on the foraminiferal fauna of small or almost enclosed

- bays in Japan. *Res. Inst. Nat. Res., Misc. Rept.*, nos. 19-21, p. 142-148, 5 text-figs. (in Japanese with English abstract).
- , 1954, Recent foraminifera of Suruga of Suruga Bay. *Ibid.*, no. 36, p. 26-31, 2 text-figs., 1 tab. (in Japanese with English abstract).
- Nakaseko, K., 1953, Foraminiferal thanatocoenoses of Osaka Bay, part 1. *Osaka Univ., South and North Colls., Sci. Rept.*, no. 2, p. 101-105, 2 text-figs., 1 tab. (in Japanese with English abstract).
- Oinomikado, T., 1951, Bibliography of Japanese papers on Cenozoic and Recent foraminifera published prior to 1950. p. 1-19. Hosokawa Printing Co., Tokyo.
- , and Stach, L. W., 1948, Recent shallow water foraminiferal assemblages from Niigata Prefecture, Japan. *Nat. Res. Council, Comm. Mar. Ecol. Paleoccol.*, Washington, *Rept.*, no. 8, p. 104-110, 1 text-fig., 2 tabs.
- Saidova, K. M., 1975, Bentosnie foraminiferi Tihogo Okeana. *Acad. Nauk SSSR, Inst. Oceanologii im P. P. Shirshova*, pts. 1-3. p. 1-875, 1 fig., 11 tabs., pls. 1-116.
- Sawai, K., 1955, Preliminary report on deposits of foraminiferal tests in Seto-Naikai, Japan (Hiuchi-nada). *Univ. Kyoto, Coll. Sci., Mem., ser. B*, v. 22, no. 2, p. 261-262, 1 text-fig., 2 tabs.
- , 1958, Deposits of foraminiferal tests in the Kii Strait, Japan. *Ibid.*, v. 24, no. 4, p. 325-334, 1 text-fig., 2 tabs.
- Shuto, T., 1953, A study on the foraminiferal assemblage of Omura Bay, Nagasaki Prefecture, Kyushu. *Japan. Jour. Geol. Geogr.*, v. 23, 8 text-figs., 3 tabs.
- , 1965, [Benthonic foraminifera, in Mitsushiro, H., Bottom sediments off Tsuyazaki, northeast of Fukuoka City. App. 1]. *Kyushu Univ., Fac. Sci. Rept., Geol.*, v. 8, no. 2, p. 124-129, 2 text-figs., 2 tabs. (in Japanese).
- Tai, Y., 1971, Recent foraminifera from the western area of the Shôdo Island in the Seto Inland Sea (Seto-Naikai) : Studies of the bottom sediments in the Seto Inland Sea-Part 1. *Commemoration Vol. dedicated to Prof. H. Matsushita*. p. 357-364, 1 text-fig., 2 tabs. (in Japanese with English abstract).
- Takananagi, Y., 1953a, Foraminifera from the Kushiro Formation, Hokkaido. *Geol. Soc. Japn., Jour.*, v. 59, no. 691, p. 139-148, 3 text-figs., 1 tab., pl. 3. (in Japanese with English abstract).
- , 1953b, Distribution of the Recent foraminifera from the adjacent seas of Japan, I: Izumi-nada in the eastern part of the Inland Sea of Japan. *Oceanogr. Works in Japan, Rec.*, v. 1, no. 2, *New Ser.*, p. 78-85, 1 text-fig., 3 tabs.
- , 1955, Recent foraminifera from Matsukawa-ura and its vicinity. *Tohoku Univ., Inst. Geol. Pal., Contr.*, no. 45, p. 18-52, 33 text-figs., 2 tabs., pls. 1-2. (in Japanese with description of new species in English).
- Troitskaja, T. S., 1970, Uslovija obitanija i raspredelenie foraminifer v Japonskom More (Semejstva Elphidiidae, Cassidulinidae i Islandiellidae). *Akad. Nauk. SSSR, Sibirsk Otd., Trud. Inst. Geol. i Geofiz.*, v. 71, p. 136-160, 3 text-figs., 3 tabs., pls. 1-8.
- Uchio, T., 1952a, Foraminiferal assemblages from Hachijo Island, Tokyo Prefecture, with description of some new genera and species. *Japan. Jour. Geol. Geogr.*, v. 22, p. 145-159, 3 text-figs., 1 tab., pls. 6-7.
- , 1952b, An interesting relation between *Stomatorbina* Dorreen, 1948, and *Mississippina* Howe, 1930, of foraminifera. *Trans. Proc. Pal. Soc. Japan, N. S.*, no. 7, p. 195-200, pl. 18.

- , 1959, Ecology of shallow-water foraminifera off the coast of Noboribetsu, southwestern Hokkaido, Japan. *Seto Mar. Biol. Lab., Publ.*, v. 7, no. 3, p. 295-302, 3 text-figs., 2 tabs.
- , 1962a, Recent foraminifera thanatocoenoses of beach and nearshore sediments along the coast of Wakayama-ken, Japan. *Seto Mar. Biol. Lab., Publ.*, v. 10, no. 1, p. 133-144, 1 text-fig., 2 tabs.
- , 1962b, Influence of the River Shinano on foraminifera and sediment grain size distributions. *Ibid.*, v. 10, no. 2, p. 363-392, 14 text-figs., 3 tabs., pl. 18.
- , 1962c, Influence of the River Shinano on foraminifera and sediment grain size distributions. *Oceanogr. Soc. Japan, Jour., 20th Anniv. Vol.*, p. 15-24, 13 text-figs., 2 tabs. (in Japanese).
- , 1968, Foraminiferal assemblages in the vicinity of the Seto Marine Biological Laboratory, Shirahama-cho, Wakayama-ken, Japan, part 1. *Seto Mar. Biol. Lab., Publ.*, v. 15, no. 5, p. 399-417, 1 text-fig., 5 tabs.
- Ujiie, H., 1956a, *Pseudocibicidoides*, n. gen., from the sea coast of Katase, Kanagawa Prefecture, Japan. *Tokyo Kyoiku Daigaku, Sci. Rept., ser. C (Geol., Mineral., and Geogr.)*, v. 4, no. 37, p. 263-265, pl. 13.
- , 1956b, The internal structures of some Elphidiidae. *Ibid.*, v. 4, no. 38, p. 267-282, 2 text-figs., pls. 14-15.
- , and Kusukawa, T., 1968, Recent foraminiferal assemblages in Miyako Bay, Iwate Prefecture, northeast Japan. *Nat. Sci. Mus., Mem.*, no. 1, p. 134-138, 3 text-figs. (in Japanese with English abstract).
- and —, 1969, Analysis of foraminiferal assemblages from Miyako and Yamada Bays, northeastern Japan. *Nat. Sci. Mus., Bull.*, Tokyo, v. 12, no. 3, p. 735-772, 11 text-figs., 4 tabs., pls. 1-4.
- Yabe, H. and Hanzawa, S., 1925, *Globigerina ooze* from the sea lying south of Okinawa-jima (Riukiu Islands). *Japan. Jour. Geol. Geogr.*, v. 4, nos. 1-2, p. 47-54, text-figs. a, b.
- Yoshida, S., 1953a, (Studies on the foraminifera of brackish waters I: The foraminifera of Mokoto numa). *The Cenozoic Res.*, no. 17, p. 315-317, 5 text-figs., 2 tabs. (in Japanese).
- , 1953b, (Studies on the foraminifera of brackish waters II: The foraminifera of Lake Akkeshi). *Ibid.*, no. 17, p. 318-321, 2 text-figs., 1 tab. (in Japanese).
- , 1954, Studies on the foraminifera of brackish waters III: The foraminifera of Lake Saroma. *Tokyo Univ. Educ., Geol. Miner. Inst., Stud.*, no. 3, p. 149-158, 4 text-figs., 7 tabs., pl. 1. (in Japanese with English abstract).

ACKNOWLEDGMENT

The writer expresses his deep appreciation to Professor Yokichi Takayanagi of the Institute of Geology and Paleontology, Tohoku University, for advice and reading the manuscript, and to Dr. Shiro Hasegawa of the same Institute for his helpful suggestions. He is also indebted to Professor Yoshiro Tai of Hiroshima University for his kind help in collecting the literatures. Thanks are also due to Professor Kiyoshi Miura of the Department of Earth Science, Faculty of Education, Shimane University, for providing every facilities for preparing the manuscript.

APPENDIX

Flintina depressa Asano, 1936b, p. 944, pl. 51(17), figs. 5a-c.

Flintina japonica Asano, 1936b, p. 943, pl. 51(17), figs. 3a-c.

Flintina nomurai Asano, 1936b, p. 943, 944, pl. 51(17), figs. 4a-c.